

## Ion-optics-based quantum microscope can image individual atoms

February 23 2021, by Bob Yirka



Researchers demonstrate an ion-optics-based microscope that can resolve individual charged atoms. The atoms are confined in a one-dimensional optical lattice (bottom of image) and then illuminated with a light pulse, which ionizes the atoms (green balls). After a short delay, the ionized atoms are transferred into the ion-optic system, where they are manipulated with electrostatic lenses (red rectangles) and imaged with an ion detector (top of image). The arrow indicates the direction of travel of the ions through the microscope. Credit: APS/Alan Stonebraker



A team of researchers at Universität Stuttgart has developed an ionoptics-based quantum microscope that is capable of creating images of individual atoms. In their paper published in the journal *Physical Review Letters*, the group explains how they built their microscope and how well it worked when tested.

Scientists have been pushing the boundaries of microscopy for many years—so much so that current quantum gas microscopes are now able to see objects as small as  $0.5\mu m$  in size. That is small enough to look at groups of atoms. In this new effort, the researchers have pushed the boundary even further by creating a microscope that images <u>individual</u> <u>atoms</u>.

The microscope built by the team began with the use of an electrostatic lens, a device that can be used to transport charged particles such as electrons. The researchers put three of them together and added an ion detector that was able to single out single ions. Electrostatic lenses work in ways very similar to lenses used in standard handheld cameras or smartphones. But instead of focusing light using a curved surface, an electrostatic lenses also differ from traditional lenses in that they are adjustable—researchers need only change the voltage applied to the electric field.

The researchers also added a means for confining material to be imaged—for testing, they added ultracold rubidium atoms and held them in a lattice in ways reminiscent of a quantum gas microscope. To create an image, the researchers fired <u>laser pulses</u> at the atoms, resulting in photoionization. This forced the ions to remain in place for approximately 30 nanoseconds. During their time in the lattice, the atoms interacted with each other, resulting in the buildup of many-body correlations. The ions were then released into the microscope, where images were made.



Testing of the <u>microscope</u> showed it capable of capturing features from  $6.79\mu m$  to  $0.52\mu m$  with 532 nm spacing between them—enough to allow for creating images of single individual <u>atoms</u>. It was also found to have a depth field of  $70\mu m$ —big enough to create 3-D images.

**More information:** C. Veit et al. Pulsed Ion Microscope to Probe Quantum Gases, *Physical Review X* (2021). DOI: <u>10.1103/PhysRevX.11.011036</u>

© 2021 Science X Network

Citation: Ion-optics-based quantum microscope can image individual atoms (2021, February 23) retrieved 9 May 2024 from <u>https://phys.org/news/2021-02-ion-optics-based-quantum-microscope-image-individual.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.