


Juno just saw a spacerock crash into Jupiter

February 18 2021, by Andy Tomaswick



Credit: NASA

Timing is extraordinarily important in many aspects of astronomy. If an astronomer or their instrument is looking the wrong way at the wrong time, they could miss something spectacular. Alternatively, there are moments when our instruments capture something unexpected in regions of space that we were searching for something else. That is exactly what happened recently when a team of scientists, led by Rohini Giles at the Southwest Research Institute, saw an image of what is likely a meteor

impacting Jupiter's atmosphere.

The team collects data from the UVS, one of the instruments on Juno, NASA's mission tasked with studying the largest solar system planet up close. UVS is Juno's ultraviolet spectrograph, which collects data in the ultraviolet spectra from 68-210 nm. Its primary mission is to study Jupiter's atmosphere and watch for its breathtaking auroras.

Recently, when reviewing a batch of images that came in from the sensor, one of Dr. Giles' colleagues noticed a huge spike in brightness in an area outside of the normal auroral zone. As with much other science, this discovery started with someone finding interesting data when they didn't expect to see it.

The team's first thought was to eliminate other sources that could have caused the spike. First they eliminated the aurora they were searching for as part of their normal research. This area of the planet where the spike appeared on was outside the normal bounds of the auroras they studied.

Next they sought to understand whether it might have been a transient luminous event (TLE) that had popped up in their data previously. These TLEs, commonly known by the whimsical names of "elves" or "sprites," are thought to be instances of lightning in Jupiter's upper atmosphere. While they have been seen in the same general area of the event, TLEs are similar to auroras in terms of their spectral profile, and none had ever been seen that was anywhere near the size or scale of the event UVS captured this time.



Jupiter has spectacular aurora, such as this view captured by the Hubble Space Telescope. Auroras are formed when charged particles in the space surrounding the planet are accelerated to high energies along the planet's magnetic field.
Credit: NASA, ESA, and J. Nichols (University of Leicester)

One final check required an understanding of whether the data was an artifact from the instrumentation itself. But there were many photons clustered together in one particular spatial area, making it highly unlikely that it was an artifact. If the signal was, in fact, caused by instrumentation error, it would be much more likely to be random rather than spatially concentrated the way that it was.

Through this process of elimination, and Occam's razor, it seems the team happened upon a sighting of a meteor hitting Jupiter's atmosphere. This is not the first time that astronomers have noted such an event—the most famous occurrence being comet Shoemaker-Levy 9 which impacted Jupiter in 1994. However, this is the first detection from Juno, which has been in orbit around the planet since 2016.

One advantage Juno has over previous observational efforts is that due to its proximity, it is able to detect much smaller impactors. The scientists estimate that the object they observed weighed anywhere between 250 and 5,000 kg. They also estimate that there are approximately 24,000 impacts of a similar size on Jupiter each year.





Illustration of what a TLE (sprite or elf) would potentially appear like on Jupiter.
Credit: NASA / JPL-Caltech / SwRI

That many impacts seems like a lot considering that Juno has been in orbit for almost four and a half years, and has only found one. However, in all that time in orbit, the observational time on each individual area of the planet is less than you might think. Orbital mechanics and spacecraft stabilization techniques have huge impacts on the amount of time that UVS is able to collect data.

Juno is in an elliptical orbit around Jupiter, and only passes the planet at its closest point (known as a "perijove") once every 53 days. During each perijove, the UVS is only able to take data for approximately 10 hours. Making things even more complicated, radiation wreaks havoc with the sensor, so if the spacecraft happens to be passing through a particularly high radiation area, it is unable to collect useful data.



Example of a type of instrumentation artifact when observing Sirius A Credit:
NASA / ESA / H Bond (STSci) / M Barstow (University of Leicester)

But that's not all—Juno itself is actually rotating, which is a way of stabilizing the spacecraft's orbit. It rotates approximately once every thirty seconds, and since the UVS is placed on one side of the spacecraft, it is only able to collect data for about 7 seconds each spacecraft rotation, if Juno is at its closest approach point.

All this rotating, orbiting and radiation navigating adds up to very little coverage over the four-year mission. With this small slice of observational time, the spacecraft still managed to capture this spectacular image of a reentry. And with a simple bit of statistics, the team has calculated that there are likely thousands more to detect each year, if Juno or another spacecraft or telescope happens to be looking the right way.

Capturing another such event would both lend credence to the theory that this event was actually a bolide (the technical name for these impactors). Additionally, it would allow the team to better calculate the total number of impacts suggested, and therefore, a rough estimate of the total amount of material added to Jupiter's mass every year.




Image from Juno's UVS showing the indicated impactor and where it appears on the planet. Credit: Giles et al

No matter how many coincidental impacts it captures, the UVS will continue scanning for the aurora and providing great data on that spectacular light show. If it happens to catch another impact, as well, it

will be another great instance of fortuitous timing playing a role in great science.

More information: Detection of a bolide in Jupiter's atmosphere with Juno UVS. arxiv.org/abs/2102.04511

Provided by Universe Today

Citation: Juno just saw a spacerock crash into Jupiter (2021, February 18) retrieved 24 April 2024 from <https://phys.org/news/2021-02-juno-spacerock-jupiter.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.