

# New mosquito species found in South Florida. It's an aggressive biter, of course.

February 10 2021, by Adriana Brasileiro

---



Credit: Pixabay/CC0 Public Domain

South Florida appears to be home to yet another new invasive species—this one a mosquito that was last officially documented in the Florida Keys 75 years ago.

The *Aedes scapularis* has been confirmed in Miami-Dade and Broward counties, according to a new study published in the *Journal of Medical Entomology* by Miami-Dade Mosquito Control Division, Broward Mosquito Control Section and Lawrence Reeves, an entomologist at the University of Florida.

A native of South America and the Caribbean, the mosquito was found last year in regularly monitored traps in Florida City and in Broward County. The identity was confirmed through DNA sequencing last year, said Miami-Dade County Mosquito Control Research Director Chalmers Vasquez.

"This is a very aggressive mosquito, like the ones that attack people in the Everglades," he said. That pest, the black salt marsh mosquito, can swarm visitors at certain times of year in Everglades National Park, where large-scale mosquito control tactics like spraying are not allowed.

While it's a big biter, the new mosquito may be more limited a threat than the Zika and Dengue-carrying *Aedes aegypti*, which is highly adapted to urban areas. The *Aedes scapularis* doesn't usually live in densely populated areas, he said.

And although the species is known to spread [yellow fever](#), Venezuelan equine encephalitis virus and other [human pathogens](#) in its native range, there is no evidence that it poses any risk to [human health](#) or to animals in South Florida, Vasquez said.

"This species is not very well established yet, so we have not seen any cases of disease transmission. But we will keep an eye on it as we do with other mosquitoes that live here," he said. Miami-Dade monitors more than 320 mosquito traps set throughout the county to analyze species and prevalence in different areas.

Health officials reported more than 60 locally transmitted cases of West Nile virus last year after heavy rains led mosquito populations to explode. West Nile is mostly transmitted by the southern house mosquito and other Culex species.

The confirmation of a new bug that's calling South Florida home is yet another reminder that Miami-Dade is a gateway for invasive species. Scientists will now watch how far the Aedes scapularis will spread. The only other time it was confirmed in Florida was in 1945 when three larval specimens were collected in the Florida Keys.

"The Florida Strait was likely a geographic barrier for the species, and now that it has crossed that barrier, Aedes scapularis could potentially spread further northward and westward to fill any contiguous areas that are environmentally suitable," Reeves told Entomology Today.

Of Florida's 16 established nonnative mosquitoes, 13 were first detected in the state since 1985, and 10 were first detected since 2000, Reeves said. "To speculate: There is a possibility that recent trends in climate, trade, and/or human movement are promoting nonnative [mosquitoes](#) in Florida, and that our detection of Aedes scapularis is part of that trend," he said.

©2021 Miami Herald

Distributed by Tribune Content Agency, LLC.

Citation: New mosquito species found in South Florida. It's an aggressive biter, of course. (2021, February 10) retrieved 25 April 2024 from <https://phys.org/news/2021-02-mosquito-species-south-florida-aggressive.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.