

Researchers discover a new route to forming complex crystals

February 17 2021, by Beth Mundy



Researchers used advanced microscopy techniques to watch mesocrystals form in real-time. Credit: Composite image by Mike Perkins | Pacific Northwest National Laboratory

When materials reach extremely small size scales, strange things begin to happen. One of those phenomena is the formation of mesocrystals.



Despite being composed of separate individual crystals, mesocrystals come together to form a larger, fused structure that behaves as a pure, <u>single crystal</u>. However, these processes happen at scales far too small for the human eye to see and their creation is extremely challenging to observe.

Because of these challenges, scientists had not been able to confirm exactly how mesocrystals form.

Now new research by a Pacific Northwest National Laboratory (PNNL)-led team used advanced transmission electron microscopy (TEM) techniques to see mesocrystals form in solution in real time. What they saw runs contrary to conventional wisdom and their insights could one day help scientists design materials for <u>energy storage</u> and understand how minerals in soil form.

Rather than individual crystals nucleating, the step that begins crystal formation, and then randomly aggregating into mesocrystals in two unrelated steps, the researchers observed that nucleation and attachment were closely coupled in forming these highly uniform structures. The researchers reported their work in the February 18, 2021 issue of *Nature*.

"Our findings identify an important new pathway of crystallization by particle attachment and resolve key questions about mesocrystal formation," said PNNL and University of Washington materials scientist Guomin Zhu. He was part of the research team led by Jim De Yoreo, PNNL materials scientist and co-director of the Northwest Institute for Materials Physics, Chemistry, and Technology. "We suspect this is a widespread phenomenon with significant implications both for the synthesis of designed nanomaterials and for understanding natural mineralization," Zhu added.





Watch as small crystals nucleate near the surface of the growing mesocrystal before attachment. Credit: Video by Guomin Zhu | Pacific Northwest National Laboratory

Seeing crystallization in real-time

The project took years to execute and required significant problem solving. For the microscopy experiments, the scientific team chose a model system that included hematite, an iron compound commonly found in the Earth's crust, and oxalate, a naturally abundant compound in soil.



They visualized the process using in situ TEM, which gives researchers the ability to see crystallization at the nanometer scale as it happens. They combined this real-time method with "freeze-and-look" TEM that enabled them to follow an individual crystal at different points during growth. Theoretical calculations helped complete the picture, allowing the PNNL team to piece together how the mesocrystals grew.

Researchers generally run most in situ TEM experiments at <u>room</u> <u>temperature</u> to simplify the experimental setup and minimize the potential for damaging the sensitive instrument, but mesocrystal formation rapid enough to observe occurs at around 80 °C.

"The additional equipment used to heat the samples made the experiments extremely challenging, but we knew the data would be key to understanding how the mesocrystals were forming," said Zhu.

Once heated, the new hematite nanocrystals make it easy for them to rapidly attach together, which leads, on average, to final mesocrystals of approximately the same size and shape.





A transmission electron microscope allows researchers to observe fundamental crystal formation processes. Credit: Photo by Andrea Starr | Pacific Northwest National Laboratory

Mesocrystals in nature

The chemical key to this rapid, reliable attachment is the oxalate molecules present in the solution. After the first few small crystals form, the oxalate additives help create a chemical gradient at the interface of the liquid and the growing crystal. More chemical components necessary for particle nucleation linger near the crystals, which dramatically increases the likelihood that new particles will form near existing ones.



While this crystal growth pathway was observed in controlled conditions at very small scales, it likely also occurs in natural systems, according to the researchers. Some mineral deposits, including an Australian hematite deposit, contain mesocrystals. Given the natural abundance of oxalate and the PNNL team's observation that hematite can become mesocrystals at temperatures as low as 40 °C, it seems plausible that this formation route occurs in nature.

Because mesocrystals are found throughout nature, the findings can be applied to understanding nutrient cycling in the environment, among other applications. Moreover, the route to creating near-uniform complex structures requires an understanding of how methods for forming such materials work and how to control them. Thus this work, supported by the U.S. Department of Energy, Office of Science, Office of Basic Energy Sciences, Division of Chemical Sciences, Geosciences, and Biosciences, opens new possibilities to intentionally create mesocrystals or mesocrystal-like materials.

More information: Self-similar mesocrystals form via interfacedriven nucleation and assembly, *Nature* (2021). <u>DOI:</u> <u>10.1038/s41586-021-03300-0</u>, <u>dx.doi.org/10.1038/s41586-021-03300-0</u>

Provided by Pacific Northwest National Laboratory

Citation: Researchers discover a new route to forming complex crystals (2021, February 17) retrieved 28 June 2024 from <u>https://phys.org/news/2021-02-route-complex-crystals.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.