

## Study shows that viruses can evolve to benefit the host organism

February 4 2021



Credit: Asociacion RUVID

A research group from the Institute for Integrative Systems Biology (I2SysBio) confirms that a virus that affects a cruciferous plant reduces its virulence in drought conditions. This is the first piece of research



showing that the relationship between a virus and its host can evolve as a function of environmental conditions. The study has been published in the journal *PNAS*.

A research team from the Institute for Integrative Systems Biology (I2SysBio), a joint center of the University of Valencia and the Spanish National Research Center (CSIC), has observed that a virus that affects a herbaceous plant of the cruciferous family can evolve to reduce its virulence in its host organism. Researchers have observed that, under drought conditions for the plant, the virus evolves its genome in such a way that it is capable of altering the circadian clock of its host, thereby preventing it from losing water and increasing its survival by up to 25%. It is the first time that the fact that natural selection can change the relationship between virus and host depending on the environment has been proven.

The work has been carried out by inoculating a virus of the Potyvirus genus, the turnip mosaic virus (TuMV, for its acronym in English), in Arabidopsis thaliana, a herbaceous plant of the cruciferous family (such as broccoli or cauliflower) widely used as a study model. The research team studied the evolution of the virus in <u>plants</u> under normal conditions and in a drought situation by characterizing the changes (mutations) that occurred in their genes. In the viruses that evolved in plants with drought, they observed that the mutations were concentrated in the VPg protein, which plays a determining role in the relationship of the virus with its host.

"Under normal conditions, the virus shows its classic vision as a pathogen by killing watered plants. However, the infected plants that were subjected to conditions of stress due to drought stayed alive," explains Santiago Elena Fito, CSIC research professor at I2SysBio and lead author of the study. Meanwhile, plants infected with the droughtevolved virus showed a series of changes in genes associated with their



circadian clock, the system that controls biological processes in plants such as their response to lack of water.

## Attenuating a virus

They then used variants of the virus evolved in plants subjected to drought to infect healthy individuals and others under water stress. By comparing the two, the research team found that genetic changes were more pronounced in individuals with drought. "The variants of the virus that evolved under normal irrigated conditions continue to kill the plant, while those that evolved in plants with drought do not, even when they are inoculated into healthy and well-irrigated plants," says Santiago Elena. This suggests that plant-adapted viruses under drought conditions cause changes in the transcription of their host's genes that may be beneficial.

According to the study, plants infected with the virus evolved in <u>drought</u> <u>conditions</u> are 25% more likely to survive situations of water stress. This reveals that, under environmental stresses, a virus can be made to evolve from a parasitic to a mutualistic relationship, where the host also has benefits (the benefit of the virus is to ensure its transmission). "It is the first time that it has been shown that a virus can be attenuated and obtain benefits for its host," says the CSIC researcher. The door is opened to using modified viruses to achieve plants that are more resistant to drought.

The research team, where the Department of Biochemistry and Molecular Biology of the University of Valencia and the Department of Agricultural Sciences and the Natural Environment of the Jaume I University of Castellón have also participated, now wants to continue this study with an animal model using the nematode Caenorhabditis elegans to verify these changes in the relationship between <u>virus</u> and <u>host</u> observed in plants. We also want to check if the variants of the



mutualistic viruses do not revert to their most virulent form, or if these changes affect the properties of the plants from the point of view of consumption.

**More information:** Rubén González et al. Plant virus evolution under strong drought conditions results in a transition from parasitism to mutualism, *Proceedings of the National Academy of Sciences* (2021). DOI: 10.1073/pnas.2020990118

Provided by Asociacion RUVID

Citation: Study shows that viruses can evolve to benefit the host organism (2021, February 4) retrieved 27 June 2024 from <u>https://phys.org/news/2021-02-viruses-evolve-benefit-host.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.