


# Chemists develop new material that helps smart glass change its color in record time

March 18 2021

---



Color change in electrochromic materials. Credit: © Vera Hiendl, e-conversion / LMU

Smart glass can change its color quickly through electricity. A new material developed by chemists of Ludwig-Maximilians-Universität (LMU) in Munich has now set a speed record for such a change.

Imagine you're on the highway at night. It rains, the bright headlights of the car behind you are blinding. How convenient to have an automatically dimming rearview mirror in such a case. Technically, this helpful extra is based on electrochromic materials. When a voltage is applied, their light absorption and color change. Controlled by a light sensor, the rearview mirror can thus filter out strongly dazzling light.

Recently, experts discovered that, in addition to established inorganic [electrochromic materials](#), a new generation of highly ordered [lattice structures](#) can also be equipped with this capability: so-called Covalent Organic Frameworks, COFs for short. They consist of synthetically produced organic building blocks that, in suitable combinations, form crystalline and nanoporous networks. Here, the color change can be triggered by an applied electrical voltage which causes an oxidation or reduction of the material.

The LMU-team led by Thomas Bein (Physical Chemistry, LMU Munich) has now developed COF structures whose switching speeds and coloration efficiencies are many times higher than those of inorganic compounds. COFs are attractive because their material properties can be adjusted over a wide range by modifying their molecular building blocks. Scientists at LMU Munich and the University of Cambridge took advantage thereof to design COFs that were ideal for their purposes.

"We have made use of the modular construction principle of the COFs and designed the ideal building block for our purposes with a specific thienoisindigo molecule", says Derya Bessinger, first author and Ph.D. student in the group of Thomas Bein. Incorporated into a COF, the new component demonstrates how strongly it can improve the COF's properties. "For example, with the new material, we cannot only absorb the shorter-wavelength UV light or small parts of the visible spectrum, but also achieve photoactivity well into the near-infrared spectral regions", says Bessinger.

At the same time, the new COF structures are much more sensitive to electrochemical oxidation. This means that even a low applied voltage is sufficient to trigger a color change of the COFs, which is also completely reversible. In addition, this happens at very high speed: the response time for a complete and distinct color change by oxidation is around 0.38 seconds, while the reduction back to the initial state takes only about 0.2 seconds. This makes the e-conversion team's electrochromic organic frameworks among the fastest and most efficient in the world.

Two things in particular are responsible for the high speed: The conductive framework structure of the COFs enables fast electron transport in the lattice. And thanks to an optimized pore size, the surrounding electrolyte solution can quickly reach every corner. This is essential because the [positive charge](#) generated in the oxidized COF structure must quickly be charge-compensated by negative electrolyte ions. Last but not least, the product of the Munich scientists has a very high stability. Long-term tests showed that the material was able to maintain its performance even after 200 oxidation-reduction cycles.

With these fundamental findings, the publication advances the development of a new class of high-performance electrochromic coatings. The obvious demand for this is shown by current applications

of such "smart glass" as switchable solar-protection and privacy-shield windows for whole building facades.

**More information:** Derya Bessinger et al, Fast-Switching Vis–IR Electrochromic Covalent Organic Frameworks, *Journal of the American Chemical Society* (2021). [DOI: 10.1021/jacs.0c12392](https://doi.org/10.1021/jacs.0c12392)

Provided by Ludwig Maximilian University of Munich

Citation: Chemists develop new material that helps smart glass change its color in record time (2021, March 18) retrieved 19 April 2024 from <https://phys.org/news/2021-03-chemists-material-smart-glass.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.