

Taking 2-D materials for a spin

March 5 2021



Schematic diagram of the MoS2 transistor in an ESR sample tube. Credit: University of Tsukuba

Scientists from the University of Tsukuba and a scientist from the Institute of High Pressure Physics detected and mapped the electronic



spins moving in a working transistor made of molybdenum disulfide. This research may lead to much faster computers that take advantage of the natural magnetism of electrons, as opposed to just their charge.

Spintronics is a new area of condensed matter physics that attempts to use the intrinsic magnetic moment of electrons, called 'spins,' to perform calculations. This would be a major advance over all existing electronics that rely solely on the electron charge. However, it is difficult to detect these spins, and there are many unknowns regarding materials that can support the transport of spin-polarized electrons.

Now, an international research team led by the Division of Materials Science at the University of Tsukuba has successfully used <u>electron spin</u> <u>resonance</u> (ESR) to monitor the number and location of unpaired spins coursing through a <u>molybdenum disulfide</u> transistor. ESR uses the same physical principle as the MRI machines that create medical images. The spins are subject to a very strong magnetic field, which creates an energy difference between electrons with spins aligned and anti-aligned with the field. The absorbance of photons that match this energy gap can be measured to determine the presence of unpaired electron spins.

The experiment required the sample to be cooled to just four degrees above absolute zero, and the transistor to be in operation while the spins are being measured. "The ESR signals were measured simultaneously with the drain and gate currents," corresponding author Professor Kazuhiro Marumoto says. "Theoretical calculations further identified the origins of the spins," coauthor Professor Małgorzata Wierzbowska says. Molybdenum disulfide was used because its atoms naturally form a nearly flat two-dimensional structure. The molybdenum atoms form a plane with a layer of sulfide ions above and below.

The team found that charging the system with the additional electrons in a process called n-type doping was important for creating the spins. "In



contrast with previous work on other 2D materials, the n-type doping allowed us to achieve better control of the electronic spins," Professors Marumoto and Wierzbowska explain. The scientists believe that <u>molybdenum</u> disulfide will prove to be an important testbed for spintronic devices as the technology advances towards future consumer products.

More information: Naho Tsunetomo et al. Spin-states in MoS_2 thinfilm transistors distinguished by operando electron spin resonance, *Communications Materials* (2021). DOI: 10.1038/s43246-021-00129-y

Provided by University of Tsukuba

Citation: Taking 2-D materials for a spin (2021, March 5) retrieved 17 July 2024 from <u>https://phys.org/news/2021-03-d-materials.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.