

# Declining caribou population victim of ecological chain reaction

March 18 2021

---



A team of researchers has determined the declining caribou population is part of a natural chain reaction from forest harvesting which can attract predators and competition for food. Credit: Caribou Monitoring Unit

A new study comparing decades of environmental monitoring records has confirmed that Canada's caribou are not faring as well as other

animals like moose and wolves in the same areas—and also teased out why.

The study used 16 years of data to examine changes in vegetation, moose, wolves and [caribou](#). "Caribou are declining across Canada and have been recently lost in the Lower 48 States," says Melanie Dickie, a doctoral student with UBC Okanagan's Irving K. Barber Faculty of Science.

"Understanding why caribou are declining is the first step to effectively managing the species—it tells us which parts of the issue we can target with management actions and how that might help caribou."

Dickie, along with fellow UBCO researchers Dr. Clayton Lamb and Dr. Adam Ford, describe the decline in [caribou populations](#) as an ecological puzzle. Typically, there are multiple factors, all changing at once, making it hard to identify how the pieces fit together. Factors such as predation from wolves and other large carnivores, increasing moose and [deer populations](#), and habitat alteration through resource extraction and wildfires all play a part. The study aimed to sort out the roles each of these play in caribou [population](#) declines.

Once land is cleared by either wildfire or harvesting, the mature forest transforms into more productive early seral forage. With the [tree canopy](#) removed, there is a significant increase in sunlight, allowing understory plants to thrive. These plants provide food that benefits moose, deer and their predators. These predators then have a spillover effect on the rarer caribou, creating apparent competition between moose and caribou.





Caribou have lower population growth rates relative to moose, and are not as resilient, making them more susceptible to landscape changes. Credit: Caribou Monitoring Unit

"Changes in primary productivity have the potential to substantially alter food webs, with [positive outcomes](#) for some species and negative outcomes for others," Dickie explains. "Understanding the environmental context and species interactions that give rise to these different outcomes is a major challenge to both theoretical and applied ecology."

To establish the link between [habitat alteration](#) and primary productivity, the researchers first examined [satellite imagery](#) to show a link between logging and new vegetation growth. They then used data on moose,

caribou and wolf numbers to compare the leading hypotheses on how changes in vegetation influence these populations. The analysis was conducted across a 598,000-square kilometer area located in the boreal shield and boreal plains of western Canada.

Ultimately, the researchers determined that lower caribou populations were a victim of an ecological chain reaction. Caribou have a lower population growth rate relative to moose, making them more susceptible to landscape changes.

"We found that increased deciduous vegetation on the landscape, which moose like to eat, increased [moose](#) populations, which increased wolves, and in turn, means declining caribou," Dickie says. "We also found that human land use, like forestry, significantly increased vegetation productivity, suggesting that these kinds of land uses are leading to caribou declines via changes to predators and prey."

Caribou conservation will be a defining point for Canada in the 21st century, adds Dr. Lamb, a Liber Ero Fellow at UBCO. Caribou highlight an unresolved tension between land stewardship, wildlife conservation and resource extraction. Further, as caribou populations continue to decline, Indigenous Peoples are forced to grapple with mounting threats to food security, cultural traditions, and infringed treaty rights.

"We can't attribute caribou declines to just one factor or another," he says. "But understanding the relative importance of these factors, and how they interact, can help us understand how we can manage caribou populations in the face of continued climate change and land use."

**More information:** Robert Serrouya et al, Trophic consequences of terrestrial eutrophication for a threatened ungulate, *Proceedings of the Royal Society B: Biological Sciences* (2021). [DOI: 10.1098/rspb.2020.2811](https://doi.org/10.1098/rspb.2020.2811)

Provided by University of British Columbia

Citation: Declining caribou population victim of ecological chain reaction (2021, March 18)  
retrieved 20 April 2024 from

<https://phys.org/news/2021-03-declining-caribou-population-victim-ecological.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.