

# As endangered birds lose their songs, they can't find mates

March 16 2021, by Christina Larson

---



This 2016 photo provided by Murray Chambers shows a male regent honeyeater bird in Capertee Valley in New South Wales, Australia. The distinctive black and yellow birds were once common across Australia, but habitat loss since the 1950s has shrunk their population to only about 300 wild birds today. (Murray Chambers via AP)

Male songbirds usually learn their tunes from adult mentors. But when aspiring crooners lack proper role models, they hit all the wrong notes—and have less success attracting mates.

For five years, ecologist Ross Crates has tracked the singing ability and breeding success of [critically endangered](#) regent honeyeaters. These [distinctive](#) black and yellow birds were once common across Australia, but habitat loss since the 1950s has shrunk their population to only about 300 or 400 wild birds today.

While male birds once formed large winter flocks, now they are sparsely distributed across the landscape, so many fly solo. That means fewer honeyeater mentors are nearby during young birds' impressionable first year.

"Song learning in many birds is a process similar to humans learning languages—they learn by listening to other individuals," said Crates, who is based at Australian National University.

"If you can't listen to other individuals, you don't know what you should be learning."

The researchers found that a significant portion of male birds appear to be learning tunes exclusively from other species they encounter. About 12% of male regent honeyeaters wind up producing mangled versions of songs typically sung by noisy friarbirds and black-faced cuckooshrikes, among other species.

In some species, such as mockingbirds, song mimicry adds flourish to love songs. But the female regent honeyeaters aren't impressed.

Unconventional male singers were less successful in wooing mates, the scientists found in research [published](#) Tuesday in the journal *Proceedings*

*of the Royal Society B.* "We think the females are avoiding breeding and nesting with males that sing unusual songs," Crates said.



This 2015 photo provided by Lachlan Hall shows male regent honeyeater birds in Capertee Valley in New South Wales, Australia. The distinctive black and yellow birds were once common across Australia, but habitat loss since the 1950s has shrunk their population to only about 300 wild birds today. (Lachlan Hall via AP)

For a population already on the brink of extinction, that's worrisome.

"This research suggests that the loss of a song language once the population reaches a very small size could accelerate their decline," said

Peter Marra, a conservation biologist at Georgetown University who was not involved in the paper.

The precise reason females remained aloof was not clear.

"When male birds sing, it's like putting out an ad saying, 'I'm over here, I'm species X, I'm Bob, and I'm really interested in finding a partner,'" said Scott Ramsay, a behavioral ecologist at Wilfrid Laurier University in Ontario, who was not involved in the research.

It could be that female honeyeaters aren't even recognizing these unconventional singers as potential partners, and so they're not approaching them, he said. Or it could be that they approach, "but then things go wrong if the males get courtship signals wrong."

Most male birds spend several months in their first year learning and refining the songs they'll recite for the rest of their lives. Some birds [learn](#) from their fathers, but regent honeyeaters leave the nest before they learn to sing, so the males need to find other mentors.

"We need to be aware of the importance of preserving song culture in birds—it's possible to have a population that's still genetically viable, but isn't viable in terms of passing on cultural knowledge," said Carl Safina, an ecologist at Stony Brook University who was not involved in the research.

"Some elements of what these birds need to do to survive isn't instinctive, it has to be learned," he said.

Crates' team has begun putting their findings into action. To help young birds in captive breeding programs learn their notes, they've started playing male song recordings and also housed capable male singers next to young learners. The hope is that these veteran vocalists can pass on

their songs to the next generation.

**More information:** Hit the wrong note - Loss of vocal culture and fitness costs in a critically endangered songbird, *Proceedings of the Royal Society B* (2021). [rspb.royalsocietypublishing.org ...  
.1098/rspb.2021.0225](https://rspb.royalsocietypublishing.org/doi/10.1098/rspb.2021.0225)

© 2021 The Associated Press. All rights reserved. This material may not be published, broadcast, rewritten or redistributed without permission.

Citation: As endangered birds lose their songs, they can't find mates (2021, March 16) retrieved 26 April 2024 from <https://phys.org/news/2021-03-honeyeaters-wrong-song.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.