

## Nano-gate: Researchers create voltagecontrolled nanopores that can trap particles as they try to pass through

March 12 2021



Nanopore electrical tweezer for trapping and manipulating nano-objects in water. Credit: Osaka University



Scientists from the Institute of Scientific and Industrial Research at Osaka University fabricated nanopores in silicon dioxide, that were only 300 nm, in diameter surrounded by electrodes. These nanopores could prevent particles from entering just by applying a voltage, which may permit the development of sensors that can detect very small concentrations of target molecules, as well as next-generation DNA sequencing technology.

Nanopores are tiny holes that are wide enough for just a single molecule or particle to pass through. The motion of nanoparticles through these holes can usually be detected as an electrical signal, which makes them a promising platform for novel single-particle sensors. However, control of the motion of the particles has been a challenge so far.

Scientists at Osaka University used integrated nanoelectromechanical systems technology to produce solid-state nanopores, only 300 nm wide, with circular platinum gate electrodes surrounding the openings that can prevent nanoparticles from passing through. This is accomplished by selecting the correct voltage that pulls ions in the solution to create a countervailing flow that blocks the entry of the nanoparticle.

"Single-nanoparticle motions could be controlled via the voltage applied to the surrounding gate electrode, when we fine-tuned the electroosmotic flow via the surface electric potential," first author Makusu Tsutsui says. After the particle has been trapped at the <u>nanopore</u> opening, a subtle force imbalance between the electrophoretic attraction and the hydrodynamic drag can then be created. At that time, the particles can be pulled in extremely slowly, which may allow long polymers, like DNA, to be threaded through at the correct speed for sequencing.

"The present method can not only enable better sensing accuracy of submicrometer objects, such as viruses, but also provides a method for protein structural analysis," senior author Tomoji Kawai says. While



nanopores have already been used to determine the identity of various target molecules based on the current generated, the technology demonstrated in this project may allow for wider range of analytes to be tested this way. For example, small <u>molecules</u>, such as proteins and micro-RNA segments that need to be pulled in at a very controlled speed, may also be detected.

The article, "Field effect control of translocation dynamics in surroundgate nanopores," was published in *Communications Materials*.

**More information:** "Field effect control of translocation dynamics in surround-gate nanopores," *Communications Materials*, <u>DOI:</u> <u>10.1038/s43246-021-00132-3</u>

Provided by Osaka University

Citation: Nano-gate: Researchers create voltage-controlled nanopores that can trap particles as they try to pass through (2021, March 12) retrieved 3 June 2024 from <u>https://phys.org/news/2021-03-nano-gate-voltage-controlled-nanopores-particles.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.