

## Why we need to get better at predicting space weather

March 29 2021, by Rami Qahwaji



Credit: Arnie Chou from Pexels

The sun is the most important source of energy for sustaining life on Earth, but it gives us a lot more than just light and heat. It also gives us solar storms.



Disturbances on the sun, such as coronal mass ejections produced by solar flares that emanate from active sunspot regions, can cause solar storms. Solar flares and <u>coronal mass ejections</u> emit vast quantities of radiation and charged particles into <u>space</u>.

These events can damage the Earth's communication and power infrastructures, resulting in power outages and reduced system functionality. Satellites, space stations and astronauts, aviation, GPS, power grids and more can be affected.

As our civilisation becomes more advanced, we become more vulnerable to the effects of solar storms. Now, as the sun's activity <u>is on the increase</u>, we need to get better at predicting solar weather.

Many people still remember the collapse of Canada's Quebec electrical grid on <u>13 March 1989</u>, which lasted for nine hours and affected six million people. It caused hundreds of millions of dollars in damages and lost revenues. This blackout was caused by <u>solar storms</u>.

The Carrington Event, named for the amateur astronomer who recorded it, was another powerful solar storm which happened in September 1859. Cutting edge technology in 1859 was limited to electrical telegraphs, and most of those failed all over Europe and North America, in some cases giving their operators electric shocks.

These days, we're much more reliant on technology, which is in turn increasingly vulnerable to the effects of space and its unique natural disasters.

## **Space radiation**


Space is vast, cold, dark and awash with radiation. Radiation in space comes mainly from galactic cosmic radiation—high energy particles



thrown out from other galaxies—and solar particle events—<u>high energy</u> <u>particles</u> from our own sun.

In space radiation, atoms are accelerated in interstellar space to speeds close to the speed of light. Eventually, the electrons are stripped out and only the positively charged nucleus remains.

Humans have been observing and counting sunspots for more than 400 years, making this the <u>longest running experiment</u> in the world. The sun has an 11-year sunspot cycle, and at the moment, we are in the middle of that cycle. Now it's approaching "solar maximum," where the greatest solar activity occurs. The next solar maximum is expected to begin in 2025.



Credit: AI-generated image (disclaimer)



People are familiar with the northern lights, which is one visible effect of solar radiation. Earth's magnetic field, which protects us from most of the dangers of space radiation, directs the charged particles to the poles, where they enter our atmosphere and cause beautiful light displays.

But the radiation can also impact technology and people. During strong solar radiation storms, <u>energetic protons</u> can damage electronic circuits inside satellites and the biological DNA of astronauts. Passengers and crew flying over the north pole would be exposed to increased radiation.

These radiation storms can create errors that make navigation operations extremely difficult. Energetic protons can also ionize the atoms and molecules in the atmosphere, creating a layer of free electrons. This layer can absorb high-frequency radio waves, causing a blackout of highfrequency communications, also known as shortwave radio.

With our increasing reliance on technology, predicting the weather in space is crucial. However, accurately predicting space weather has long been a challenging problem for experts.

## **Predicting space weather**

Understanding the complexity of sunspots will help us predict whether significant solar flares may happen. My colleagues and I developed a real-time automated computer system which uses <u>image processing</u> and artificial intelligence technologies to monitor and analyze solar satellite data. This helps predict the likelihood of <u>solar flares</u> in the coming 24 hours.

We pioneered new techniques for automatic processing, detection and feature extraction of solar features—like active regions and sunspots—captured by Nasa's solar dynamics observatory satellite. We also introduced the first automated and real-time system to classify



sunspots. Before this, the classification of sunspots was a manual process painstakingly carried out by experts.

Space missions and astronauts are much more likely to be affected by radiation, because they aren't protected by Earth's magnetic field. The effects on humans could include radiation sickness, increased risk for cancer, degenerative diseases and central nervous system effects.

Despite these risks, human and robotic activities are increasing in space and Nasa is working to land humans on Mars by the 2030s. There are two rovers—Curiosity and Perseverance—and one lander currently operational on Mars, with another rover planned for launch in 2022.

Our space weather prediction system is <u>publicly available</u>, and is now used as one of the decision-making tools for Nasa's robotic missions and to manage <u>radiation</u> effects on Nasa's Chandra X-ray observatory orbit.

As we continue venturing further into space, we'll need to strengthen our current space weather prediction capabilities to build a greater picture of solar activity and mitigate its effects around the solar system.

This task is incredibly challenging, as most solar observations are taken for Earth's field of view. Better modeling and investigation of the evolution of solar features is necessary to accommodate for the drastically different celestial orbits around the sun.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: Why we need to get better at predicting space weather (2021, March 29) retrieved 26



April 2024 from https://phys.org/news/2021-03-space-weather.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.