


Researchers report breakthrough that enables practical semiconductor spintronics

April 8 2021



In the opto-spintronic nanostructure, an electron spin polarisation degree greater than 90% is achieved at room temperature in a quantum dot, via remote defect-enabled spin filtering through an adjacent layer of gallium nitrogen arsenide (GaNAs). When such a spin polarised electron recombines, it emits chiral light. The spin state of the electron determines whether the electromagnetic field of

the light will rotate clockwise or anticlockwise around the direction of travel.
Credit: Yuqing Huang


It may be possible in the future to use information technology where electron spin is used to store, process and transfer information in quantum computers. It has long been the goal of scientists to be able to use spin-based quantum information technology at room temperature. A team of researchers from Sweden, Finland and Japan have now constructed a semiconductor component in which information can be efficiently exchanged between electron spin and light at room temperature and above. The new method is described in an article published in *Nature Photonics*.

It is well known that electrons have a negative charge; they also have another property called spin. This may prove instrumental in the advance of [information technology](#). To put it simply, we can imagine the electron rotating around its own axis, similar to the way in which the Earth rotates around its own axis. Spintronics—a promising candidate for future information technology—uses this quantum property of electrons to store, process and transfer information. This brings important benefits, such as higher speed and lower energy consumption than traditional electronics.

Developments in spintronics in recent decades have been based on the use of metals, and these have been highly significant for the possibility of storing large amounts of data. There would, however, be several advantages in using spintronics based on semiconductors, in the same way that semiconductors form the backbone of today's electronics and photonics.

"One important advantage of spintronics based on semiconductors is the

possibility to convert the information that is represented by the spin state and transfer it to light, and vice versa. The technology is known as opto-spintronics. It would make it possible to integrate information processing and storage based on spin with information transfer through light," says Weimin Chen, professor at Linköping University, Sweden, who led the project.



The quantum dots in the opto-spintronic nanostructure are made from indium arsenide (InAs). Each quantum dot is around 10,000 times smaller than the thickness of a human hair. Credit: Yuqing Huang

As electronics used today operates at [room temperature](#) and above, a serious problem in the development of spintronics has been that electrons tend to switch and randomize their direction of spin when the temperature rises. This means that the information coded by the [electron spin](#) states is lost or becomes ambiguous. It is thus a necessary condition for the development of semiconductor-based spintronics that we can orient essentially all electrons to the same spin state and maintain it, in other words that they are spin polarized, at room temperature and higher temperatures. Previous research has achieved a highest electron spin polarization of around 60% at room temperature, untenable for large-scale practical applications.

Researchers at Linköping University, Tampere University and Hokkaido University have now achieved an electron spin polarization at room temperature greater than 90%. The spin polarization remains at a high level even up to 110 °C. This technological advance, which is described in *Nature Photonics*, is based on an opto-[spintronic](#) nanostructure that the researchers have constructed from layers of different semiconductor materials. It contains nanoscale regions called [quantum dots](#). Each quantum dot is around 10,000 times smaller than the thickness of a human hair. When a spin polarized electron impinges on a quantum dot, it emits light—to be more precise, it emits a single photon with a state (angular momentum) determined by the electron spin. Thus, quantum dots are considered to have a great potential as an interface to transfer information between electron spin and light, as will be necessary in spintronics, photonics and [quantum computing](#). In the newly published study, the scientists show that it is possible to use an adjacent spin filter to control the electron spin of the quantum dots remotely, and at room [temperature](#).

The quantum dots are made from [indium arsenide](#) (InAs), and a layer of gallium nitrogen arsenide (GaNAs) functions as a filter of spin. A layer of gallium arsenide (GaAs) is sandwiched between them. Similar

structures are already being used in optoelectronic technology based on gallium arsenide, and the researchers believe that this can make it easier to integrate spintronics with existing electronic and photonic components.

"We are very happy that our long-term efforts to increase the expertise required to fabricate highly-controlled N-containing semiconductors is defining a new frontier in spintronics. So far, we have had a good level of success when using such materials for optoelectronics devices, most recently in high-efficiency solar-cells and laser diodes. Now we are looking forward to continuing this work and to unite photonics and spintronics, using a common platform for light-based and spin-based quantum technology," says Professor Mircea Guina, head of the research team at Tampere University in Finland.

More information: Room-temperature electron spin polarization exceeding 90% in an opto-spintronic semiconductor nanostructure via remote spin filtering, *Nature Photonics* (2021). [DOI: 10.1038/s41566-021-00786-y](https://doi.org/10.1038/s41566-021-00786-y)

Provided by Linköping University

Citation: Researchers report breakthrough that enables practical semiconductor spintronics (2021, April 8) retrieved 9 April 2024 from <https://phys.org/news/2021-04-breakthrough-enables-semiconductor-spintronics.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
