

# Earth's biggest mass extinction took ten times longer on land than in the water

April 19 2021

---



An illustration showing *Lystrosaurus* during the end-Permian mass extinction.  
Credit: Gina Viglietti

Our planet's worst mass extinction event happened 252 million years ago when massive volcanic eruptions caused catastrophic climate change. The vast majority of animal species went extinct, and when the dust settled, the planet entered the early days of the Age of Dinosaurs. Scientists are still learning about the patterns of which animals went

extinct and which ones survived, and why. In a new study in *PNAS*, researchers found that while extinctions happened rapidly in the oceans, life on land underwent a longer, more drawn-out period of extinctions.

"People assumed that because the marine extinction happened over a short period of time, life on land should have followed the same pattern, but we found that the marine extinction may actually be a punctuation to a longer, more drawn-out event on land," says Pia Viglietti, a postdoctoral researcher at Chicago's Field Museum and the lead author of the *PNAS* study.

"The focus for studying terrestrial extinction has basically been, 'Can we match up the pattern in the terrestrial realm with what's observed in oceans?' And the answer is, 'Not really,'" says Ken Angielczyk, the paper's senior author and curator of vertebrate paleontology at the Field Museum. "This paper is the first really focusing on vertebrates and saying, 'No, something was going on that was unique to the terrestrial realm.'"

Part of why scientists had looked to the marine extinctions for clues as to what happened on land is that there's a more complete fossil record of life underwater. If you want to become a fossil, dying by water, where your body will rapidly get covered by sediment, is a good way to make that happen. As a result, paleontologists have known for a while that 252 million years ago a [mass extinction](#) hit at the end of the Permian period, and within 100,000 years, more than 85% of the species living in the ocean went extinct. And while that seems like a long time to us, that's very quick in geologic time. The marine version of the end-Permian extinction took up 100,000 years out of the entire 3,800,000,000 years that life has existed—the equivalent to 14 minutes out of a whole year.

To learn what happened to life on land, Viglietti, Angielczyk, and their colleagues examined fossils from 588 four-legged fossil animals that

lived in what's now South Africa's Karoo Basin at the time of the Permian mass extinction.

"The region where we found the fossils for this study is absolutely beautiful. The green mountainous slopes are so inviting on a crisp summer morning, it makes the heat that is still to come bearable," says Zaituna Skosan, the paleontology collections manager at the Iziko South African Museum and one of the paper's co-authors. "Finding good fossils is the best feeling, but also short lived as you must focus and continue to look for your next find. Even the best fossil finder overlooks a great find sometimes."



Zaituna Skosan, Collections Manager at Iziko Museum in Cape Town, South Africa, glues together a broken up fossil during fieldwork in the Karoo Basin. Credit: Roger Smith

The researchers created a database and separated the fossils by age, grouping together specimens by 300,000-year time intervals. This approach allowed the researchers to quantify the appearance and disappearance of different species and look at the bigger picture of life over time, rather than just relying on individual specimens to tell the whole story.

"Our approach unifies the data and says, okay, within this time bin we have these species, but as we go up, we have these other species. By applying sampling methods to these bins, we can help correct for issues like having more or fewer specimens collected in different time intervals or places. Ultimately, it lets us quantify how much extinction is happening and how quickly new species are appearing," says Viglietti. "Instead of putting too much focus on any one fossil, you compile hundreds of observations roughly in the same time interval."

"To figure out patterns of extinction based on hundreds of fossils we used a type of math called statistics. When a species disappears it could either have gone extinct, or it could still be out there, waiting to be discovered, but so far undetected," says Roger Benson, a professor of paleobiology at the University of Oxford and one of the study's co-authors. "We had to deal with that before we could have any confidence about the timing of extinctions. The math is already understood so the statistical work involved writing computer algorithms to extract that all-important signal of extinction from the data."

One of the species that helped reveal patterns of extinction and recovery

was *Lystrosaurus*, an herbivorous early mammal relative that ranged from the size of a small dog to a cow, depending on the species. "It had a beak and tusks, it wasn't the most attractive animal, but I have a soft spot for *Lystrosaurus* because it was like the first animal I studied as a grad student, so coming full circle with *Lystrosaurus* in this study made me quite happy," says Viglietti.

*Lystrosaurus* is what paleontologists call a "disaster taxon"—a group that thrived during a time when most other life was struggling. "*Lystrosaurus* is like a poster child for the end-Permian extinction that's always been portrayed as this animal that flourishes in the aftermath of all this extinction and just takes over," says Viglietti. "But we see *Lystrosaurus* appearing before the extinction even got started, it was already abundant. It got us thinking about what was driving that abundance—if *Lystrosaurus* just took over the barren landscape after other animals went extinct, or if the environment was changing and *Lystrosaurus* adapted to these changes that were causing extinction for all these other species. Our best guess is the latter."

Examining fossils like *Lystrosaurus* showed the researchers that the Permian extinction looked very different on land than it did in the oceans—it was a much longer, more drawn-out affair. Using the earlier comparison, if the history of life on Earth were compressed into a single year and the end-Permian extinction killed 95% of the ocean's animals in a matter of 14 minutes, the land extinction would have taken ten times as long, about two hours and twenty minutes.



A fossil of the dicynodont *Lystrosaurus*, a mammal relative that survives the end-Permian mass extinction event, is collected during fieldwork in South Africa's Karoo Basin. Credit: Roger Smith

It's not clear exactly why the mass extinction event happened so much more slowly on land. "The changes to the Earth's climate were cumulative and added up over time. Ecosystems were slowly disrupted, and then it just got to a point where everything collapsed, like the straw that breaks the camel's back," says Viglietti. "Everything's fine, until it's not."

One reason for the discrepancy could be that the oceans can absorb chemical changes and stabilize themselves, up to a point. "In today's climate crisis, the oceans can absorb a lot of carbon dioxide or rise in

temperature without people realizing, and then all of a sudden you get sudden ecosystem breakdowns like ocean acidification and coral bleaching," says Viglietti. The same might be true for the late Permian oceans.

Understanding what happened in the end-Permian mass extinction gives us clues about the rise of the dinosaurs—many of the ancient mammal relatives went extinct, leaving ecological vacancies that dinosaur ancestors evolved to fill. But the end-Permian extinction also provides insights into the mass extinction event that the Earth is currently undergoing due to climate change and habitat destruction.

"The environmental changes that we are causing and the impacts we are having on animal and plant species are getting to the point where the scale is such that there isn't really anything in human history that is comparable," says Angielczyk. "The fossil record can give us some idea of what massive biodiversity crises are like and how they proceed."

"It takes a long time to recover from [extinction](#). When we lose diversity, it's not going to recover in our lifetime, it's going to take hundreds of thousands of years, or even millions," says Viglietti. "Studies like this one show what our society should be focusing on."

**More information:** Pia A. Viglietti et al., "Evidence from South Africa for a protracted end-Permian extinction on land," *PNAS* (2021). [www.pnas.org/cgi/doi/10.1073/pnas.2017045118](http://www.pnas.org/cgi/doi/10.1073/pnas.2017045118)

Provided by Field Museum

Citation: Earth's biggest mass extinction took ten times longer on land than in the water (2021, April 19) retrieved 10 September 2024 from <https://phys.org/news/2021-04-earth-biggest-mass->

[extinction-ten.html](#)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.