


Egg and sperm cell size evolved from competition

April 16 2021



Credit: CC0 Public Domain

In most living animals, egg cells are vastly larger than sperm cells. In

humans, for example, a single egg is 10 million times the volume of a sperm cell.

In a new study, Northwestern University researchers found that competition and natural selection drove this curious size discrepancy.

Using mathematical modeling, the researchers considered a time very early in evolution when primordial species reproduced using external fertilization. In the model, bigger reproductive cells, or [gametes](#), presented a competitive edge because they could hold more nutrients for a potential zygote. Smaller gametes, however, required fewer resources to make, which put less stress on the parent.

"Organisms either needed to produce the biggest gametes with the most provisions or the smallest gametes to use the least resources," said Northwestern's Daniel Abrams, the study's senior author. "We believe this size difference is almost inevitable, based on plausible assumptions about how [sexual reproduction](#) works and how natural selection works."

The research was published online last night (April 15) in the *Journal of Theoretical Biology*.

Abrams is a professor of engineering sciences and applied mathematics at Northwestern's McCormick School of Engineering. Joseph Johnson, a Ph.D. candidate in Abrams' laboratory, is the paper's first author. Nathan White and Alain Kangabire, undergraduate students in Abrams' lab, coauthored the paper.

The Northwestern team's model begins with isogamy, a primordial state in which all gametes were roughly the same size and distinct sexes did not yet exist. The team then developed and applied a simple [mathematical model](#) to show how isogamy transitioned to anisogamy, a state where the gametes either became very small or quite

large—precursors to sperm and eggs associated with biological sexes today.

In the [model](#), anisogamy emerged from competition to survive in an environment with limited resources. Gametes were more likely to survive if they had an edge in size over their neighbors, leading to an "arms race" favoring larger and larger gametes. But organisms could not produce many sex [cells](#) without needing more and more resources themselves. They could, however, save their resources by producing a lot of tiny gametes.

"Early in evolution when sexual reproduction emerged, gametes were symmetrical. But this is where that symmetry breaks," Abrams said. "We end up with some organisms specializing in large gametes and others specializing in small gametes."

Abrams said one remaining mystery is why some isogamist species still exist today. Some types of algae and fungi, for example, reproduce either asexually or with symmetrical mating types.

"There have been different theories about how anisogamy emerged, going all the way back to Charles Darwin," Abrams said. "Issues in evolutionary biology are very hard to test because we can only study species that are around today. We can't see what they looked like billions of years ago. Using mathematical models can yield new insight and understanding."

More information: Joseph D. Johnson et al, A dynamical model for the origin of anisogamy, *Journal of Theoretical Biology* (2021). [DOI: 10.1016/j.jtbi.2021.110669](https://doi.org/10.1016/j.jtbi.2021.110669)

Provided by Northwestern University

Citation: Egg and sperm cell size evolved from competition (2021, April 16) retrieved 2 May 2024 from <https://phys.org/news/2021-04-egg-sperm-cell-size-evolved.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.