

# **Researchers establish the first entanglementbased quantum network**

April 15 2021



Researchers work on one of the quantum network nodes, where mirrors and filters guide the laser beams to the diamond chip. Credit: Marieke de Lorijn for QuTech

A team of researchers from QuTech in the Netherlands reports



realization of the first multi-node quantum network, connecting three quantum processors. In addition, they achieved a proof-of-principle demonstration of key quantum network protocols. Their findings mark an important milestone toward the future quantum internet and have now been published in *Science*.

The power of the <u>internet</u> is that it allows any two computers on Earth to connect. Today, researchers in many labs around the world are working toward first versions of a quantum internet—a network that can connect any two <u>quantum devices</u>, such as quantum computers or sensors, over large distances. Whereas today's internet distributes information in bits that can be either 0 or 1, a future quantum internet will make use of quantum bits that can be 0 and 1 at the same time.

"A quantum internet will open up a range of novel applications, from unhackable communication and cloud computing with complete user privacy to high-precision time-keeping," says Matteo Pompili, Ph.D. student and a member of the research team. "And like with the internet 40 years ago, there are probably many applications we cannot foresee right now."

## **Toward ubiquitous connectivity**

The first steps toward a quantum internet were taken in the past decade by linking two quantum devices that shared a direct physical link. However, being able to pass on quantum information through intermediate nodes (analogous to routers in the classical internet) is essential for creating a scalable quantum network. In addition, many promising quantum internet applications rely on entangled quantum bits distributed between multiple nodes. Entanglement is a phenomenon observed at the quantum scale, fundamentally connecting particles at small and even at large distances. It provides quantum computers their enormous computational power and it is the fundamental resource for



sharing <u>quantum information</u> over the future quantum internet. By realizing their quantum network in the lab, a team of researchers at QuTech—a collaboration between Delft University of Technology and TNO—is the first to have connected two quantum processors through an intermediate node and to have established shared entanglement between multiple stand-alone <u>quantum processors</u>.

#### **Operating the quantum network**

The rudimentary quantum network consists of three quantum nodes, at some distance within the same building. To make these nodes operate as a true network, the researchers had to invent a novel architecture that enables scaling beyond a single link. The middle node (called Bob) has a physical connection to both outer nodes (called Alice and Charlie), allowing entanglement links with each of these nodes to be established. Bob is equipped with an additional quantum bit that can be used as memory, allowing a previously generated quantum link to be stored while a new link is being established. After establishing the quantum links Alice-Bob and Bob-Charlie, a set of quantum operations at Bob converts these links into a quantum link Alice-Charlie. Alternatively, by performing a different set of quantum operations at Bob, entanglement between all three nodes is established.

### **Ready for subsequent use**

An important feature of the network is that it announces the successful completion of these (intrinsically probabilistic) protocols with a "flag" signal. Such heralding is crucial for scalability, as in a future quantum internet many of such protocols will need to be concatenated. "Once established, we were able to preserve the resulting entangled states, protecting them from noise," says Sophie Hermans, another member of the team. "It means that, in principle, we can use these states for quantum key distribution, a quantum computation or any other



subsequent quantum protocol."



Coauthors Matteo Pompili (left) and Sophie Hermans (right), both PhD student in the group of Ronald Hanson, at one of the quantum network nodes. Credit: Marieke de Lorijn for QuTech

#### **Quantum internet Demonstrator**

This first entanglement-based quantum network provides the researchers with a unique testbed for developing and testing quantum internet hardware, software and protocols. "The future quantum internet will consist of countless quantum devices and intermediate nodes," says Ronald Hanson, who led the research team. "Colleagues at QuTech are



already looking into future compatibility with existing data infrastructures." In due time, the current proof-of-principle approach will be tested outside the lab on existing telecom fiber—on QuTech's Quantum internet Demonstrator, of which the first metropolitan link is scheduled to be completed in 2022.

## **Higher-level layers**

In the lab, the researchers will focus on adding more quantum bits to their three-node network and on adding higher level software and hardware layers. Pompili: "Once all the high-level control and interface layers for running the network have been developed, anybody will be able to write and run a <u>network</u> application without needing to understand how lasers and cryostats work. That is the end goal."

**More information:** "Realization of a multinode quantum network of remote solid-state qubits" *Science* (2021). <u>science.sciencemag.org/cgi/doi</u> ... <u>1126/science.abg1919</u>

Provided by Delft University of Technology

Citation: Researchers establish the first entanglement-based quantum network (2021, April 15) retrieved 2 May 2024 from <u>https://phys.org/news/2021-04-entanglement-based-quantum-network.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.