


# Exploiting non-line-of-sight paths for terahertz signals in wireless communications

April 27 2021

---



Representation of a transmitter (left) broadcasting a signal with strong angular dispersion. Each frequency is represented by a different color and comes out in a different direction, which produces a rainbowlike structure. Two of the frequencies make it to the receiver (right), one represented by yellow (LOS path) and another by blue (NLOS path incorporating a reflection off a surface). Credit: Mittleman Lab, Brown University

If a base station in a local area network tries to use a directional beam to

transmit a signal to a user trying to connect to the network—instead of using a wide area network broadcast, as base stations commonly do—how does it know which direction to send the beam?

Researchers from Rice University and Brown University developed a link discovery method in 2020 using [terahertz radiation](#), with high-frequency waves above 100 gigahertz. For this work, they deferred the question of what would happen if a wall or other reflector nearby creates a non-line-of-sight (NLOS) [path](#) from the base station to the receiver and focused on the simpler situation where the only existing path was along the line-of-sight (LOS).

In *APL Photonics*, those same researchers address this question by considering two different generic types of transmitters and exploring how their characteristics can be used to determine whether an NLOS path contributes to the signal received by the receiver.

"One type of transmitter sends all frequencies more or less in the same direction," said Daniel Mittleman, co-author and an engineering professor at Brown, "while the other type sends different frequencies in different directions, exhibiting strong angular dispersion. The situation is quite different in these two different cases."

The researchers' work shows that the transmitter sending different frequencies in different directions has distinct advantages in its ability to detect the NLOS path and distinguish them from the LOS path.

"A well-designed receiver would be able to detect both frequencies and use their properties to recognize the two paths and tell them apart," Mittleman said.

Many [recent reports](#) within academic literature have focused on various challenges involved in using terahertz signals for [wireless](#)

[communications](#). Indeed, the term 6G has become a buzzword to encompass future generations of wireless systems that use these ultrahigh-frequency signals.

"For terahertz signals to be used for wireless communications, many challenges must be overcome, and one of the biggest is how to detect and exploit NLOS paths," said Mittleman.

This work is among the first to provide a quantitative consideration of how to detect and exploit NLOS paths, as well as a comparison of the behavior of different transmitters within this context.

"For most realistic indoor scenarios we can envision for an above-100 gigahertz wireless network, the issue of NLOS path is definitely going to require careful consideration," said Mittleman. "We need to know how to exploit these link opportunities to maintain connectivity."

If, for example, the LOS path is blocked by something, an NLOS path can be used to maintain the link between the base station and receiver.

"Interestingly, with a [transmitter](#) creating strong angular dispersion, sometimes an NLOS link can provide even faster connectivity than the LOS link," said Yasaman Ghasempour, co-author and assistant professor at Rice University. "But you can't take advantage of such opportunities if you don't know the NLOS path exists or how to find it."

**More information:** Yasaman Ghasempour et al, Line-of-sight and non-line-of-sight links for dispersive terahertz wireless networks, *APL Photonics* (2021). [DOI: 10.1063/5.0039262](https://doi.org/10.1063/5.0039262)

Provided by American Institute of Physics

Citation: Exploiting non-line-of-sight paths for terahertz signals in wireless communications (2021, April 27) retrieved 1 May 2024 from <https://phys.org/news/2021-04-exploiting-non-line-of-sight-paths-terahertz-wireless.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.