

Flare ups and crustal removal in northeast Japan

April 28 2021



Rocks in the Northeast of Japan. Credit: Daniel Pastor-Galán and Tatsuki Tsujimori

The crustal record is the geologist's book for studying the history of the Earth. It contains information to understand important aspects such as when the earliest crustal rocks separated from the mantle; the origin and evolution of life; the inception and development of plate tectonics, oceans, atmosphere and the magnetic field.



Unfortunately, this information is disrupted and fragmented due to growth and recession. Subduction erosion found in Northeast Japan has permanently destroyed crucial pieces of information to understand our planet.

The Japanese Islands are at the juncture between the Pacific and Asian plates which is the locus of continental growth through volcanic activity and is also the site of recycling of the Earth's crust as the Pacific plate dives beneath the Asian continental crust. This process, known as subduction, not only recycles the Pacific <u>oceanic crust</u>, but also causes tectonic erosion as the Pacific plate grinds away the base of the continental crust. The tectonic erosion of the continental crust has been related to the occurrence of megathrust earthquakes.

An international research team led by Daniel Pastor-Galán, assistant professor at the Frontier Research Institute for Interdisciplinary Sciences (FRIS) at Tohoku University, and Tatsuki Tsujimori, professor at the Center for Northeast Asian Studies (CNEAS), has defined the events that punctuated the crustal history of Northeast Japan. The study has revealed the main ages of the events that shaped the geological roots of Japan.





Rocks in the Northeast of Japan. Credit: Daniel Pastor-Galán and Tatsuki Tsujimori

The results show a fierce history of periodic magmatic flare-ups; subduction erosion when the Pacific slab destroyed the Japanese continental crust; the complete removal and substitution of the original Japanese crust roughly 270 million years ago; and the total melting of such crust around 110 million years ago.

Understanding the history of subduction, the processes associated with it and the mechanisms operating at the base of the crust are crucial to understanding the <u>history</u> of the continental <u>crust</u> and the trends in potential geohazards. Pastor-Galán says "the study represents a landmark towards understanding the origin and evolution of the geological roots of Japan, and the mechanisms operating at <u>subduction</u> zones in deep time."

More information: Daniel Pastor-Galán et al. Evidence for crustal



removal, tectonic erosion and flare-ups from the Japanese evolving forearc sediment provenance, *Earth and Planetary Science Letters* (2021). DOI: 10.1016/j.epsl.2021.116893

Provided by Tohoku University

Citation: Flare ups and crustal removal in northeast Japan (2021, April 28) retrieved 23 May 2024 from <u>https://phys.org/news/2021-04-flare-ups-crustal-northeast-japan.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.