

Heavy water tastes sweet to people, but not to mice

April 7 2021



Differences between the behavior of the transmembrane part of the human sweet taste receptor in H2O vs D2O base on analysis of three independent microsecond trajectories. Credit: Carmelo Tempra / IOCB Prague

Ordinary pure water has no distinct taste, but how about heavy water?



Does it taste sweet, as anecdotal evidence going back to 1930s may have indicated? Why would this be the case when D_2O is nearly identical chemically to H_2O , of which it is a stable, naturally occurring isotope? These questions arose shortly after heavy water was isolated almost 100 years ago, but they had not been satisfactorily answered.

Now, researchers Pavel Jungwirth and Phil Mason with students Carmelo Tempra and Victor Cruces Chamorro at the Institute of Organic Chemistry and Biochemistry of the Czech Academy of Sciences (IOCB Prague), together with the group of Masha Niv at the Hebrew University and Maik Behrens at the Technical University of Munich, found answers to these questions using molecular dynamics simulations, cell-based experiments, mouse models and human subjects. In their research article published in *Communications Biology*, they show conclusively that, unlike ordinary water, heavy water tastes sweet to humans but not to mice, and this effect is mediated by the human sweet taste receptor.

Heavy water (D₂O) differs from normal water (H₂O) by an H-D isotopic substitution only, and as such, should not be chemically distinct. Leaving aside a trivial 10% change in density due to the doubled mass of D compared to H, differences in properties of D₂O versus H₂O, such as pH or melting and boiling points, are indeed very small. These differences are solely due to nuclear quantum effects, namely, changes in zero-point vibrations, which lead to a slightly stronger hydrogen bonding in D₂O than in H₂O.

"Despite the fact that the two isotopes are nominally chemically identical, we have shown conclusively that humans can distinguish by taste (which is based on chemical sensing) between H_2O and D_2O , with the latter having a distinct sweet taste," said Pavel Jungwirth on the principal result of their study. In their work, the authors complement taste experiments on human subjects with tests on mice and on HEK



293T cells transfected with the human sweet taste receptor TAS1R2/TAS1R3, and with molecular modeling. The results indicate that the sweet taste of heavy water is mediated in humans by the TAS1R2/TAS1R3 receptor. Future studies should be able to elucidate the precise sites and mechanisms of action, as well as the reason why D_2O activates TAS1R2/TAS1R3 in particular, resulting in a sweet (but not other) taste.



Artist's view of heavy water eliciting sweet taste in humans. Credit: Tomáš Bello / IOCB Prague



While clearly not a practical sweetener, heavy water provides a glimpse into the wide-open chemical space of sweet molecules. Since heavy water has been used in medical procedures, the finding that it can elicit responses of the sweet taste receptor, which is located not only on the tongue but also in other tissues of the human body, represents an important information for clinicians and their patients. Moreover, due to wide application of D_2O in chemical structure determination, chemists will benefit from being aware of the present observations.

Finally, it is worth mentioning that 86 years ago, *Science* published a short letter by H. C. Urey, Nobelist for the discovery of deuterium (H. C. Urey & G. Failla, *Science*, 81, 273, 1935. <u>http://doi.org/10.1126/science.81.2098.273-a</u>), stating authoritatively that D_2O is undistinguishable from H_2O by taste, which had a strong albeit misleading effect on the ongoing discussion about the subject.

"Our study thus resolves an old controversy concerning the sweet taste of heavy water using state-of-the-art experimental and computer modeling approaches, demonstrating that a small nuclear quantum effect can have a pronounced influence on such a basic biological function as taste recognition," concludes Pavel Jungwirth.

More information: Natalie Ben Abu et al, Sweet taste of heavy water, *Communications Biology* (2021). DOI: 10.1038/s42003-021-01964-y, doi.org/10.1038/s42003-021-01964-y

Provided by Institute of Organic Chemistry and Biochemistry of the Czech Academy of Sciences (IOCB Prague)

Citation: Heavy water tastes sweet to people, but not to mice (2021, April 7) retrieved 21 May 2024 from <u>https://phys.org/news/2021-04-heavy-sweet-people-mice.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.