


Lasers and flames: Technique could refine performance of high-tech materials

April 23 2021, by Scott Schrage



A rendering of an infrared laser striking a flame. Husker researchers have shown how a laser can modify chemical reactions taking place within a flame, allowing them to coat materials with performance-enhancing chemicals while avoiding a side effect that complicates the construction of semiconductors and other microelectronic components. Credit: Scott Schrage | University Communication

Introducing chemical impurities to a material for the sake of tailoring its properties or performance—sometimes called doping—has long proven

vital in electronic engineering, especially the fabrication of semiconductors and other microelectronic components.

Doping a microscopically thin layer of diamond with boron, for instance, primes it for use in electrochemical sensors by making it more sensitive to agents it's tuned to detect. Unfortunately, doping can jumble the precisely ordered atomic structure of diamond and other [crystalline materials](#), diminishing conductivity and other properties that make them so prized in the first place.

Nebraska's Yongfeng Lu and colleagues decided to experiment with an emerging laser-based approach to the crystallinity problem, using boron-doped diamond as a [case study](#).

Flames can be used to combust gaseous chemicals, yielding molecules that then react with an underlying material and coat it in the desired dopant. After firing a finely tuned laser at a flame to modify the chemistry taking place within it, the researchers found that the resulting boron-doped diamond boasted higher crystalline integrity than it did sans the laser.

That crystallinity allowed electric charges to move faster through the material than a commercially available counterpart. When the researchers tried out the material as an electrode in a glucose sensor—the sort used to test for diabetes—they found it could detect lower concentrations of the sugar. And the [boron](#)-doped diamond itself actually grew at a substantially faster rate when fabricated with the laser than without.

Further studying the general principles and specific outcomes of applying lasers when doping materials could help widen the crystalline bottleneck that has long constrained the [semiconductor industry](#), the researchers said. Balancing the benefits of doping and crystallinity could

help refine materials critical in microelectronics, optics, sensing and energy storage.

Provided by University of Nebraska-Lincoln

Citation: Lasers and flames: Technique could refine performance of high-tech materials (2021, April 23) retrieved 24 May 2024 from <https://phys.org/news/2021-04-lasers-flames-technique-refine-high-tech.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--