

# Mantis shrimp larvae punch just like mom and dad

April 29 2021

---



Side view of a 11-day-old mantis shrimp (*Gonodactylaceus falcatus*) larva. The raptorial appendage is folded in below the large eyes. Credit: Jacob Harrison, Duke University.

Adult mantis shrimp pack an explosive punch that can split water, but no crustacean emerges fully formed. Minute larvae can undergo six or seven transformations before emerging as fully developed adults and limbs and maneuvers develop over time. So, when do mantis shrimp larvae acquire the ability to pulverize their dinner and how powerful are the punches that these mini crustaceans pack? "We knew that larval mantis shrimp have these beautiful appendages; Megan Porter and Eve Robinson at the University of Hawaii had captured normal videos of a couple of strikes a few years ago," says Jacob Harrison from Duke University, USA. So, he packed up Sheila Patek's high-speed camera and high-resolution lens and traveled to Hawai'i to investigate the developing crustacean's maneuvers. The team publish their discovery that minute mantis shrimp larvae can begin unleashing their ballistic blows as little as 9-days after hatching in *Journal of Experimental Biology*, and show that the limbs reach blistering accelerations of 22 million  $\text{deg/s}^2$ , moving at  $\sim 0.385\text{mm/s}$ , which is 5-10 times faster than the larval snacks they dine on

"The [larvae](#) can be incredibly tricky to collect," says Harrison, recalling how he and Porter lured the microscopic creatures into their nets at night with lights. The problem was that the crustaceans came along with a Noah's ark of other larval critters. "It can be incredibly challenging to sift through a bucket teeming with larval crabs, shrimp, fish and worms to find the mantis shrimp," laughs Harrison. He then needed a technique for securing the *Gonodactylaceus falcatus* larvae in place for the camera. "I had to superglue a 4 mm sized larva onto a toothpick, place it on a custom-designed rig and orient the individual within view of the camera lens before I could even start collecting data. It took about a year to troubleshoot the right way to set up the camera before we knew that we could capture these videos," Harrison recalls.

Analyzing the high-speed movies, Harrison, Patek and Matt McHenry (University of California, Irvine, USA) could see a region on the first portion of the appendage bending to store energy—like a spring—as the

larvae wound in the club-like limb ready for a flick. Then, the larvae released an internal latch that had held the appendage in place, releasing the stored energy and catapulting the limb into action. In fact, the larvae's appendage and the way it operates is remarkably similar to that in the adults, just scaled down. Most excitingly, the team realized that they could see the minute muscles within the larvae's glassy bodies contracting as they bowed the exoskeleton, something that could only be imagined in adult [mantis shrimp](#): "We were amazed," Harrison says.

But when did the minute larvae develop their ability to annihilate prey with a single blow? Venturing off the Hawaiian shore, Harrison located an egg-laden female and retrieved her mat of eggs, but by the time they arrived at Duke University, the eggs had hatched. "We weren't sure we could keep the larvae alive in the lab," Harrison recalls. However, he nurtured the youngsters patiently until they developed successfully to 28-day old larvae and discovered that the limb only became fully operational when the youngsters began feeding, at around 9-15 days. It also turned out that the larvae could hurl the limb at rotational speeds of  $\sim 16,500$  deg/s, with eye-watering accelerations as fast as the adults. However, their smaller stature meant that the [limb](#) moved at  $\sim 0.385$  m/s, which is slower than the adults, but still quite speedy for a 4.2 mm long creature. Even at their smallest, there is no escaping these spring-powered predators.

**More information:** Kathryn Knight, Spring-powered mantis shrimp larvae punch like Ma and Pa, *Journal of Experimental Biology* (2021). [DOI: 10.1242/jeb.242590](https://doi.org/10.1242/jeb.242590)

Provided by The Company of Biologists

Citation: Mantis shrimp larvae punch just like mom and dad (2021, April 29) retrieved 20 April

2024 from <https://phys.org/news/2021-04-mantis-shrimp-larvae-mom-dad.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.