


# New optics-on-a-chip device paves way to capturing fast chemical, material and biological processes

April 20 2021



This photograph shows two MEMS elements on a single chip, with the active elements of  $250\ \mu\text{m} \times 250\ \mu\text{m}$ . A micrograph (top inset) the actual size of the diffractive element, as compared to a section of human hair (bottom inset).

Credit: Jin Wang

Researchers have developed new X-ray optics that can be used to harness extremely fast pulses in a package that is significantly smaller and lighter than conventional devices used to modulate X-rays. The new optics are based on microscopic chip-based devices known as microelectromechanical systems (MEMS).

"Our new ultrafast optics-on-a-chip is poised to enable X-ray research and applications that could have a broad impact on understanding fast-evolving chemical, material and [biological processes](#)," said research team leader Jin Wang from the U.S Department of Energy's Argonne National Laboratory. "This could aid in the development of more efficient solar cells and batteries, advanced computer storage materials and devices, and more effective drugs for fighting diseases."


In The Optical Society (OSA) journal *Optics Express*, the researchers demonstrated their new X-ray optics-on-a-chip device, which measures about 250 micrometers and weighs just 3 micrograms, using the X-ray source at Argonne's Advanced Photon Source synchrotron. The tiny device performed 100 to 1,000 times faster than conventional X-ray optics, which tend to be bulky.

"Although we demonstrated the [device](#) in a large X-ray synchrotron facility, when fully developed, it could be used with conventional X-ray generators found in scientific labs or hospitals," said Wang. "The same technology could also be used to develop other devices such as precise dosage delivery systems for radiation therapy or fast X-ray scanners for

non-destructive diagnostics."

## Capturing fast processes

X-rays can be used to capture very fast processes such as chemical reactions or the quickly changing dynamics of biological molecules. However, this requires an extremely [high-speed camera](#) with a fast [shutter speed](#). Because many materials that are opaque to light are transparent to X-rays it can be difficult to improve the speed of shutters effective for X-rays.



The new X-ray MEMS device is used inside this experiment enclosure at the Advanced Photon Source. Shown is the 6-circle diffractometer that manipulates the MEMS optics in a vacuum chamber. Credit: Jin Wang

To solve this challenge, the research team, consisting of scientists from Argonne's Advanced Photon Source and Center for Nanoscale Materials, turned to MEMS-based devices. "In addition to being used in many of the electronics we use daily, MEMS are also used to manipulate light for high-speed communication," said Wang. "We wanted to find out if MEMS-based photonic devices can perform similar functions for X-rays as they do with visible or infrared light."

In the new work, the researchers show that the extremely small size and weight of their MEMS-based shutter allows it to oscillate at speeds equivalent to about one million revolutions per minute (rpm). The researchers leveraged this high speed and the MEMS material's X-ray diffractive property to create an extremely fast X-ray shutter.

## **Boosting shutter speed**

Using their new optics-on-a-chip with X-rays produced by the Advanced Photon Source, the researchers demonstrated that it could provide a stable shutter speed as fast as one nanosecond with an extremely high on/off contrast. This could be used to extract single X-ray pulses from the source, even if the pulses were only 2.8 nanoseconds apart from each other.

"We show that our new chip-based technology can perform functions not possible with conventional large optics," said Wang. "This can be used to create ultrafast probes for studying fast processes in novel materials."

The researchers are now working to make the devices more versatile and robust so that they can be used continuously over long periods of time. They are also integrating the peripheral systems used with the tiny chip-based MEMS devices into a deployable stand-alone instrument.

**More information:** Pice Chen et al. Optics-on-a-chip for ultrafast manipulation of 350-MHz hard x-ray pulses, *Optics Express* (2021). [DOI: 10.1364/OE.411023](https://doi.org/10.1364/OE.411023)

Provided by The Optical Society

Citation: New optics-on-a-chip device paves way to capturing fast chemical, material and biological processes (2021, April 20) retrieved 24 June 2024 from <https://phys.org/news/2021-04-optics-on-a-chip-device-paves-capturing-fast.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.