


Outback radio telescope discovers dense, spinning, dead star

April 21 2021







Tile 107, or "the Outlier" as it is known, is one of 256 tiles of the MWA located 1.5km from the core of the telescope. The MWA is a precursor instrument to the SKA. Credit: Pete Wheeler, ICRAR

Astronomers have discovered a pulsar—a dense and rapidly spinning neutron star sending radio waves into the cosmos—using a low-frequency radio telescope in outback Australia.

The pulsar was detected with the Murchison Widefield Array (MWA) telescope, in Western Australia's remote Mid West region.

It's the first time scientists have discovered a pulsar with the MWA but they believe it will be the first of many.

The finding is a sign of things to come from the multi-billion-dollar Square Kilometer Array (SKA) telescope. The MWA is a precursor telescope for the SKA.

Nick Swainston, a Ph.D. student at the Curtin University node of the International Center for Radio Astronomy Research (ICRAR), made the discovery while processing data collected as part of an ongoing pulsar survey.

"Pulsars are born as a result of supernovae—when a massive star explodes and dies, it can leave behind a collapsed core known as a neutron star," he said.

"They're about one and a half times the mass of the Sun, but all squeezed within only 20 kilometers, and they have ultra-strong magnetic fields."



Mr Swainston said pulsars spin rapidly and emit electromagnetic radiation from their <u>magnetic poles</u>.

"Every time that emission sweeps across our line of sight, we see a pulse—that's why we call them pulsars," he said. "You can imagine it like a giant cosmic lighthouse."

ICRAR-Curtin astronomer Dr. Ramesh Bhat said the newly discovered pulsar is located more than 3000 light-years from Earth and spins about once every second.

"That's incredibly fast compared to regular stars and planets," he said.
"But in the world of pulsars, it's pretty normal."

Dr. Bhat said the finding was made using about one percent of the large volume of data collected for the <u>pulsar</u> survey.


"We've only scratched the surface," he said. "When we do this project at full-scale, we should find hundreds of pulsars in the coming years."

Pulsars are used by astronomers for several applications including testing the laws of physics under extreme conditions.

"A spoonful of material from a neutron star would weigh millions of tons," Dr. Bhat said.


"Their magnetic fields are some of the strongest in the Universe—about 1000 billion times stronger than that we have on Earth."





An artist's impression of Pulsar — a dense and rapidly spinning neutron star sending radio waves into the cosmos. Credit: ICRAR / Curtin University.







An artist's impression of one of 256 tiles of the Murchison Widefield Array radio telescope observing a pulsar — a dense and rapidly spinning neutron star sending radio waves into the cosmos. Credit: Dilpreet Kaur / ICRAR / Curtin University.

"So we can use them to do physics that we can't do in any of the Earthbased laboratories."

Finding pulsars and using them for extreme physics is also a key science driver for the SKA telescope.

MWA Director Professor Steven Tingay said the discovery hints at a large population of pulsars awaiting discovery in the Southern Hemisphere.

"This finding is really exciting because the <u>data processing</u> is incredibly challenging, and the results show the potential for us to discover many more pulsars with the MWA and the low-frequency part of the SKA."

"The study of pulsars is one of the headline areas of science for the multibillion-dollar SKA, so it is great that our team is at the forefront of this work," he said.

More information: Discovery of a steep-spectrum low-luminosity pulsar with the Murchison Widefield Array, *The Astrophysical Journal Letters*, April 21, 2021



Provided by ICRAR

Citation: Outback radio telescope discovers dense, spinning, dead star (2021, April 21) retrieved 13 March 2024 from https://phys.org/news/2021-04-outback-radio-telescope-dense-dead.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.