

# Reliably detecting cocoa off-flavors

April 20 2021

---



Bag with cocoa beans. Credit: Martin Steinhaus

Musty, moldy, smoky or horse dung-like smelling cocoa is not suitable for chocolate production. As part of a larger research project, a team of scientists led by Martin Steinhaus from the Leibniz Institute for Food Systems Biology at the Technical University of Munich has identified the odorants responsible for such off-flavors. The food industry can now

use these results to objectively assess the sensory quality of fermented cocoa based on odorant concentrations. The research team published the data in the *Journal of Agricultural and Food Chemistry*.

Who likes chocolate that smells like smoke or mold, or chocolate whose aroma is reminiscent of a horse stable or of mothballs? Off-flavors are a major problem, especially for small and medium-sized enterprises. However, also for larger companies, off-flavor-tainted [cocoa](#) batches can cause immense economic damage, posing the need for their reliable identification during the incoming goods inspection. Until now, this has only been possible with some limitations by using a trained sensory panel, since no approach to objectively evaluate off-flavors in cocoa on the basis of the concentrations of the causative odorants was available.

As part of a project of the Research Association of the German Food Industry, the team led by food chemist Martin Steinhaus has now made a significant contribution to solving this problem. Using the molecular sensory science concept established at the Leibniz Institute, the research group has identified the key odorants that chiefly contribute to typical off-flavors in fermented cocoa.



Photo of a cocoa bean, You can see the shell and in the part where the shell was removed, the embryo. Credit: Martin Steinhaus

### **Off-flavors from hammy-smoky to moldy-musty**

In cocoa samples with hammy-smoky off-flavors, the team identified six crucial odorants. The substances smelled smoky, hammy, phenolic or horse stable-like. In samples with a moldy-musty odor, the researchers found additional four off-flavor compounds. These smelled moldy, musty, beetroot-like, fecal- or mothball-like. The research team determined the odor threshold values of the identified substances in order to derive maximum concentration limits.

In its latest publication, for example, the team recommends a maximum

tolerable concentration for the off-flavor substance geosmin of 1.6 micrograms per kilogram of fermented cocoa. Even in the lowest concentrations, this [odorant](#) has a musty, earthy smell reminiscent of beetroot. Geosmin is presumably of bacterial origin. For fecal, mothball-like smelling 3-methyl-1H-indole, the researchers recommend a limit of 1.1 micrograms per kilogram of fermented cocoa.

## Odorant distribution is also important

The research team's findings also show that about 40 to 65 percent of total geosmin is found in the seed coat (testa) of fermented cocoa beans. In contrast, the off-flavor substance 3-methyl-1H-indole was predominantly found inside the beans. "The uneven distribution of the two odorants between the seed coat and the embryo is another important aspect that chocolate manufacturers should consider when testing fermented cocoa," says Martin Steinhaus. "At the moment, we do not know how much geosmin is transferred from the shells into the embryo during the roasting process. Therefore, it might be reasonable to remove the seed coats before roasting rather than after roasting."

**More information:** Caterina Porcelli et al, Molecular Background of a Moldy-Musty Off-Flavor in Cocoa, *Journal of Agricultural and Food Chemistry* (2021). [DOI: 10.1021/acs.jafc.1c00564](https://doi.org/10.1021/acs.jafc.1c00564)

Provided by Leibniz-Institut für Lebensmittel-Systembiologie an der TU München

Citation: Reliably detecting cocoa off-flavors (2021, April 20) retrieved 25 April 2024 from <https://phys.org/news/2021-04-reliably-cocoa-off-flavors.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.