


# Synthesis of large-area 2D material: Atomic layer pushes surface steps away

April 26 2021



Studying the kinetics of borophene formation in low energy electron microscopy shows that surface steps are bunched during the borophene formation, resulting in elongated and extended borophene domains with exceptional structural order. Credit: *ACS Nano* (2021). DOI: 10.1021/acsnano.1c00819

The team led by UDE's Prof. Michael Horn-von Hoegen aims at producing the thinnest possible layer of boron, so-called borophene, since it promises properties that could enable the construction of two-dimensional transistors. The molecular beam epitaxy used for this

purpose until now results in domains that are far too small. For more precise investigations and for use in technology, however, larger areas are needed.

With their newly developed method of segregation-enhanced epitaxy, the team uses borazine gas and an iridium substrate. The essential components of borazine are boron and [nitrogen atoms](#) that are arranged in a hexagonal honeycomb structure. By heating the iridium sample in a borazine-containing environment, the boron molecules attach themselves to the surface, followed by the evaporation of the nitrogen. Above 1100°C, the boron moves into the iridium, because at such high temperatures the iridium can absorb additional [boron atoms](#) like a sponge—up to a quarter of its own volume. When the system has cooled down, borophene—the single-atom layer of boron—precipitates on the surface of the iridium crystal. In the process, it does not grow beyond surface steps of the underlying crystal but pushes them away in all directions to form areas as large as possible.

## Next Step: Detachment

Experts from the Interdisciplinary Center for Analytics on the Nanoscale (ICAN), led by Professor Frank-J. Meyer zu Heringdorf, were able to prove beyond doubt that the areas are exclusively composed of [boron](#) atoms and that the nitrogen has disappeared from the sample.

In a next step, the researchers want to investigate how the borophene can be detached from the iridium substrate.

**More information:** Karim M. Omambac et al. Segregation-Enhanced Epitaxy of Borophene on Ir(111) by Thermal Decomposition of Borazine, *ACS Nano* (2021). [DOI: 10.1021/acsnano.1c00819](https://doi.org/10.1021/acsnano.1c00819)

Provided by Universität Duisburg-Essen

Citation: Synthesis of large-area 2D material: Atomic layer pushes surface steps away (2021, April 26) retrieved 26 June 2024 from <https://phys.org/news/2021-04-synthesis-large-area-2d-material-atomic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.