

Toxic fluorocarbons to keep our water (and bodies) clean and healthy

April 22 2021, by Steinar Brandslet



Toxic substances like PFAS can accumulate in fish. This photo is from sampling done in Lake Tyrifjord, where health authorities warn against eating the fish. Credit: Håkon Austad Langberg, NTNU

The toxic pollutants in your ski wax basically never disappear. A Norwegian lake and the area around several Norwegian airports are full of them, and so is your body. Per- and polyfluoroalkyl substances (PFAS) in ski wax have been receiving a lot of attention recently, but waxes constitute only a limited part of the problem of the PFAS group



of toxic fluorocarbons.

PFAS are a large group of man-made fluorocarbon toxicants, and you are most likely full of them. The <u>toxic substances</u> don't break down and instead accumulate, both in nature and in your body.

"Due to their extensive use, humans and animals all over the world are continuously exposed to PFAS," says NTNU Ph.D. candidate Håkon Austad Langberg, who has studied several of them in the last few years.

PFAS are used in many different products beyond the fluorinated ski wax that ends up in the ground on ski slopes and on trails, including Teflon, firefighting foam, water- and grease-repellent paper and impregnated textile fabrics, among many others.

Have to understand them to do something about them

A number of health problems can be traced back to PFAS. The toxic substances are either proven or suspected to increase the risk of kidney and testicular cancer, damage to the liver, disrupted <u>cholesterol levels</u>, reduced fertility, hormonal disorders, negative effects on development in children and weakened immune systems.

Langberg's research has included investigating how PFAS from individual Norwegian sources behave in the environment.

"That is, where they end up, like in waterways or the seabed, how they're transported in the environment and how they're taken up into the food chain," he says.





During the fieldwork in Lake Tyrifjord, Håkon Austad Langberg and his colleagues found large amounts of fluorinated toxicants. Credit: Hege Mentzoni Grønning, NTNU

We need to understand how various toxic substances behave in nature in order to assess their risks, give the right advice on food and drink that could be PFAS contaminated and to clean contaminated areas.

Lake and airports studied

Langberg hunted for PFAS near large emission sources and found large quantities.

"I investigated Svalbard Airport and Bodø Airport, both of which are polluted due to the use of firefighting foam, and Lake Tyrifjord, which is polluted by a factory that produced paper products," he says.

Runoff from the airports that Langberg investigated flow into the sea. Marine fish and crabs near the airports had higher levels of PFAS than those found in other areas, but due to the water exchange in the ocean, the levels were limited.

Despite the name, Tyrif jord in Viken county is actually a lake, and toxic pollutants can therefore accumulate quite strongly there.

The Norwegian Institute of Public Health stated last year that Norwegian women and children ingest too much PFAS. Fish is often the source of the toxicants. The Norwegian Food Safety Authority warned against eating fish and drinking water from fresh water sources near airports. The Authority warned in particular against eating fish from Lake Tyrifjord.

Never break down fully

The fire drill field on Svalbard. Here there is a large runoff to the sea, and thus the toxins are not as concentrated as near a lake. Credit: Håkon Austad Langberg, NTNU

PFAS stands for per- and <u>polyfluoroalkyl substances</u>. None of the many thousands of these substances break down in nature. Well, that's not entirely true. Some of them do break down, but only into other PFAS variants which in turn do not degrade. PFAS that can be converted to non-degradable PFAS are called PFAS precursors.

Once these toxic substances are released into nature, for all practical purposes they will remain there permanently or until they are actively cleaned up.

"Scientists often call them 'forever chemicals," says Langberg.

The properties of the substances, and thus their behavior in the environment, change when PFAS precursors are converted to nondegradable PFAS. Many PFAS precursors become more water soluble when converted. More water-soluble substances are in turn often more available for uptake into organisms and can also be transported faster by water currents.

Since different PFAS are used in different products, it is possible to find out which emission source has polluted what.

"For example, different types of PFAS are used in firefighting foam than the ones used to make paper water- and grease repellent," Langberg says.

PFAS used in a lot of places

Many sources of PFAS contamination are due to local use, either of the toxicants directly or of products that contain them. The surrounding environment near these point sources has often been shown to contain high concentrations of the toxic pollutants in water, the soil and seabed, and in fish and other animals.

Lake Tyrifjord may look idyllic, but conditions aren't as pristine as you might be tempted to believe. Credit: Håkon Austad Langberg, NTNU

"Factories where PFAS is produced are among the most researched point sources, along with places where PFAS-containing firefighting foam is used, such as at airports," says Langberg.

People who drink water or eat plants, fish or other animals from such areas risk being exposed to significant levels of PFAS in addition to the continuous exposure that we all experience.

Langberg found particularly high PFAS levels in Lake Tyrifjord.

Paper mill contaminated the lake

"By looking at the composition of the PFAS detected in Lake Tyrifjord, we concluded that a factory producing paper products was the source of the pollution in the lake," said Langberg.

The PFAS released into Lake Tyrifjord are not very water-soluble. The pollutants are located on the <u>lake</u> bottom and can thus be absorbed into the food chain over time.

"In Lake Tyrifjord, these PFAS precursors are a continuous source of poison in the food chain since they're ingested by bottom feeders that are later eaten by fish," Langberg says.

Fish usually ingest these kinds of compounds from the surrounding water, but in Lake Tyrifjord the water concentrations are low, and the uptake of the pollutants instead happens via the fish's diet.

Water sampling at Svalbard Airport. Credit: Håkon Austad Langberg, NTNU

In this way, the substances in the <u>food chain</u> are transferred and converted over time to the non-degradable PFAS that are detected in significant amounts in fish.

Lessons for the future

"The pollution in Lake Tyrifjord wouldn't have been detected if only water samples had been taken. That's why our sampling also needs to include the seabed and various animal species if we don't know the source of the PFAS pollution, or if PFAS with unknown behavior have been released into the environment," says Langberg.

This is the first time the production of paper products has been identified as leading to significant local pollution. The research shows that PFAS quantities released into Lake Tyrifjord are very high.

Langberg believes the production of paper products is probably a large and overlooked source of pollution elsewhere as well.

Langberg's research illustrates the need to assess risk from chemicals in consumer goods, starting during production, in the use phase and after the product lifespan.

"The EU is focusing on this topic through the development of a "Chemicals strategy for sustainability," which is a good thing," says Langberg's supervisor Sarah Hale. She is a senior specialist at the Norwegian Geotechnical Institute.

The results from Langberg's dissertation provide valuable information about contaminated areas. The new knowledge can be used later to identify sources of pollution, make risk assessments and assess remediation measures.

More information: Håkon A. Langberg et al. Fluorinated Precursor Compounds in Sediments as a Source of Perfluorinated Alkyl Acids (PFAA) to Biota, *Environmental Science & Technology* (2020). DOI: 10.1021/acs.est.0c04587

Håkon A. Langberg et al. Paper product production identified as the main source of per- and polyfluoroalkyl substances (PFAS) in a Norwegian lake: Source and historic emission tracking, *Environmental Pollution* (2020). DOI: 10.1016/j.envpol.2020.116259

Håkon A. Langberg et al. Bioaccumulation of Fluorotelomer Sulfonates and Perfluoroalkyl Acids in Marine Organisms Living in Aqueous Film-Forming Foam Impacted Waters, *Environmental Science & Technology* (2019). DOI: 10.1021/acs.est.9b00927

Aasim M. Ali et al. The fate of poly- and perfluoroalkyl substances in a marine food web influenced by land-based sources in the Norwegian Arctic, *Environmental Science: Processes & Impacts* (2021). DOI: 10.1039/D0EM00510J

Provided by Norwegian University of Science and Technology

Citation: Toxic fluorocarbons to keep our water (and bodies) clean and healthy (2021, April 22) retrieved 4 May 2024 from https://phys.org/news/2021-04-toxic-fluorocarbons-bodies-healthy.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.