

Climate change adaptation requires new cultivars to protect food security

May 18 2021



Credit: Pixabay/CC0 Public Domain

Global agriculture both is one of the major drivers of climate change and strongly affected by it. Rising temperatures are among the main reasons for yield reductions. Therefore, the agricultural sector is faced with the

major challenge of adapting to climate change in order to ensure food security in the future. According to a new study carried out by international researchers, the use of locally adapted cultivars can significantly contribute to achieve this goal. The study was led by LMU geographer Dr. Florian Zabel.

For four different climate scenarios, he and his colleagues simulated the impacts of [climate change](#) on the global production of maize, rice, soy and wheat and investigated how locally adapted cultivars would affect [crop yields](#). Thereby, the scenarios represent different socio-economic pathways that result in [temperature increases](#) ranging between 1.4 and 3.9 degrees Celsius in [global average](#).

"Our results show that, at least under moderate warming, we could generally adapt well to climate change and even increase global yields by almost 20% until the end of the century.

Thereby, the increase of atmospheric CO₂ partly attributes to the yield increase for some crops, due to positive effects on the efficiency of photosynthesis." says Zabel.

Strong warming threatens adaptation

If global warming can be restricted to below 1.5 degrees Celsius, as specified in the Paris Agreements, the simulations suggest that 85% of the global cropland area can be optimally cultivated with already available cultivars.

The stronger the warming, the more new cultivars will be needed and the higher the risk that a required locally adapted cultivars that can cope with the changed local conditions will not be available.

"In the [worst-case scenario](#), almost 40% of global cropland could require

new cultivars, of which some would need to have traits that currently do not exist," says Zabel. Thereby, a critical point is that this even affects globally important production regions, such as North America's Corn Belt, the world's most important region for maize production.

"In addition, there are some regions where [cultivar](#) adaptation will not be possible, for instance due to a change in future precipitation and possible droughts," says Zabel. The simulations consider local and regional effects of climate change, and therefore allow identifying regions where locally adapted cultivars could be particularly beneficial for yields. These include large areas of Europe, China and Russia. However, in other parts of the world—including Turkey, Northeastern Brazil, Texas, Kenya and parts of India—adapted cultivars are predicted to have little or no effect on yields, due to a reduction of available water for crops.

Innovative and more efficient breeding methods offer a possible solution. "Conventional breeding approaches often take years," Zabel says. "New methods such as CRISPR-Cas could help to develop required cultivars that are specifically adapted to local conditions more quickly and in a more targeted way," Zabel adds.

The study appears in the journal *Global Change Biology*.

More information: Florian Zabel et al. Large potential for crop production adaptation depends on available future varieties, *Global Change Biology* (2021). [DOI: 10.1111/gcb.15649](https://doi.org/10.1111/gcb.15649)

Provided by Ludwig Maximilian University of Munich

Citation: Climate change adaptation requires new cultivars to protect food security (2021, May 18) retrieved 23 April 2024 from <https://phys.org/news/2021-05-climate-requires-cultivars->

[food.html](#)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.