

# Ecofriendly chemicals can actually improve mineral processing

May 19 2021

---



Copper mineral concentrated after flotation. Credit: Aalto University / Nina Pulkkis

Metals extracted from the Earth's crust are vital for our everyday products, but their production places a heavy burden on the environment. Once the minerals are excavated, simply processing them requires a slew of chemicals, many of which may pose harm to nature.

Researchers at Aalto University have now developed a way to make this process a little more environmentally friendly. Their cellulose-based compound is not only renewable, biodegradable and non-toxic, but

research shows that is also more effective in separating metals than the oil-based commercial frothers currently used.

Rodrigo Serna, a professor at Aalto University who came up with the idea, says that the [chemical technology](#) used in froth flotation—the process through which metals are separated from ores—has remained relatively unchanged for decades.

"We wanted to find more sustainable alternatives to these chemicals, so we started carefully exploring cellulose derivatives with properties considered suitable for frothers. It was quite surprising when, already in the first laboratory experiments, the new compound started to produce more minerals than traditional methods," Serna says.

In the flotation process, air bubbles are created in a mixture of crushed ores, water and various chemicals. The metal-bearing minerals selectively attach to the bubbles, forming a froth on the surface from which they are collected. Frothers are required to control the formation and stability of air bubbles.

Researchers found that the cellulose-based compound has several advantages over the state-of-the-art frothers now in use. It increases the amount of minerals recovered, while accelerating the flotation process, and also works efficiently in wider range of pH conditions, making it less sensitive to the changes in process conditions. In some cases, like for zinc materials, the compound also helps reduce the need for chemicals in other aspects of processing, as well.

## **Mineral reserves are depleting**

This work builds on the researchers' past findings—published in, for example, the *Journal of Cleaner Production*—which tested the technology in laboratory with minerals containing copper and zinc, and

in continuous operation at a mini-plant with ores containing copper. It has also been tested for the recovery of copper from waste streams, including [mineral](#) tailings and waste slag from metal refineries. Researchers are currently experimenting the technology with minerals containing gold.

The team has applied for a patent for the technology under the name of CellFroth, and the next step is to investigate commercialization possibilities. On an industrial scale, the new technology would offer a higher production capacity in mineral processing plants and reduce the use of other chemicals. It can also handle waste streams with low contents of valuable minerals. In the future, as mineral resources deplete, the mineral processing industry must process larger amounts of low-quality ores to keep up with demand.

"The mining industry is under great pressure to develop more environmentally friendly practices. At the same time, they need to improve their productivity as the need for raw materials increases and the mineral reserves become depleted. These don't have to conflict with each other," Rodrigo Serna says.

Provided by Aalto University

Citation: Ecofriendly chemicals can actually improve mineral processing (2021, May 19)  
retrieved 27 April 2024 from <https://phys.org/news/2021-05-ecofriendly-chemicals-mineral.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------