

# **Conserving and monitoring genetic diversity will benefit nature and society**

May 26 2021

---





Palmyra Palm (*Borassus aethiopum*) near Ziguinchor, Casamance, Senegal. In the new article in *BioScience*, Sean Hoban and colleagues discuss the urgent need for monitoring of the genetic diversity within threatened flora and fauna like this. Credit: M. Patrick Griffith / Montgomery Botanical Center

A hidden planetary crisis has long been neglected that is as serious as the disappearance of species and degradation of habitats. Genetic diversity, which reflects the variation in DNA within species and populations and is the key to their capacity to adapt in times of change, is being lost at an alarming rate. According to an article by 28 authors representing 16 countries, the loss of genetic diversity can affect resiliency in the face of environmental change and result in the loss of important services provided to society. Once gone, genetic diversity can take millennia to return.

"We know that genetic diversity is eroding, that it is happening fast, and that as a consequence nature is losing its resilience at a time when we need it most," said lead author Sean Hoban, of The Morton Arboretum, USA. "Genetic diversity isn't visible to the eye, and in many cases, it decreases before impacts are evident in a species' population".

As shown in the new article published May 26 in *BioScience*, scientists can now document changes in genetic diversity and devise actions to help. The use of museum specimens and genetic datasets collected over decades are showing that genetic diversity erodes long before species disappear. The authors also use findings from the [Living Planet Index](#), which shows that species populations have declined by 68%, to forecast dramatic losses of genetic diversity (more than 50% loss for many species), if no protective actions are taken. Ongoing losses are already

making natural and human systems, from [coral reefs](#) to farms to urban trees, highly vulnerable to extreme events like [heat waves](#).

"Previous global targets mentioning genetic diversity have been focused on crops and other forms of agricultural diversity only, ignoring the importance of genetic diversity more widely," said Colin Khoury, study co-author and researcher at the Alliance of Bioversity International and the International Center for Tropical Agriculture (CIAT). "Yet even in crop targets, the actual metrics used to measure our progress have not used genetics."

Monitoring genetic diversity (by directly analyzing DNA within species over time) can help to detect vulnerabilities. The authors point out that monitoring genetic diversity is rapidly becoming more affordable due to major technological developments in genomic sequencing in the past 20 years. But, the article explains, technology must be made available globally, expert guidance is needed on its most [efficient use](#), data must be made open and accessible, and knowledge must be synthesized for use by political leaders.

Other developments are making large-scale monitoring of this hidden and neglected level of biodiversity possible, including innovative policy and legislation, growing collaborations and capacity building efforts, and databases that store and make publicly available exponentially increasing [genetic data](#). Scientists are also devising easy to measure proxies or substitutes for genetic data, such as ecological diversity or population size, that will allow monitoring in countries with technological or financial barriers to genetic laboratories.

The genetic [diversity](#) conservation community embraces [the FAIR principles](#) (data should be findable, accessible, interoperable, and reusable) which means that data collected for basic research can be reused for conservation, and vice versa. Lastly, collaborations and

increased capacity are helping to improve knowledge in understudied geographic regions including the tropics.

"Commitments by countries and non-[state actors](#) like cities and NGOs are needed and can make a difference to safeguard this foundation of biodiversity," said Cristiano Vernesi, chair of the GBIKE COST Action, which helped contribute to the study.

The article's findings and guidance are timely. The Convention on Biological Diversity (CBD) is making commitments for the next 10 years and beyond. Reflecting on a need to stop biodiversity loss and ensure its sustainable use, the CBD envisions a world "living in harmony with nature." Other global initiatives also aim for strong progress in the coming decade, such as the United Nations Sustainable Development Goals, and European Union Biodiversity Strategy. These visions demand urgent and bold commitments. This article provides a road map for the use of [genetic diversity](#) information toward the fulfillment of these commitments.

**More information:** *BioScience* (2021). [DOI: 10.1093/biosci/biab054](https://doi.org/10.1093/biosci/biab054)

Provided by The Alliance of Bioversity International and the International Center for Tropical Agriculture

Citation: Conserving and monitoring genetic diversity will benefit nature and society (2021, May 26) retrieved 6 May 2024 from <https://phys.org/news/2021-05-genetic-diversity-benefit-nature-society.html>

|  |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|