

Looking for the genuine 'tiny red beasts' in the Milky Way

May 19 2021, by Li Yuan



Comparison between an M subdwarf and the sun. Credit: LAMOST

There is a special group of tiny red beasts wandering across the Milky Way galaxy. They are red subdwarf stars that are 'aborigines' of the Milky Way and considered to be born in the galactic halo and thick disk.



"Learning more about these M subdwarfs can help us know the history of our galaxy. They are indeed quite rare in the solar neighborhood, but people usually mixed them with some metal-poor, disk-born <u>red dwarfs</u>," said Prof. Luo Ali from National Astronomical Observatories of Chinese Academy of Sciences (NAOC). Prof. Luo's team has been making indepth research on M subdwarfs.

The research team studied the properties of thousands of subdwarfs to understand the intrinsic difference between these scarce M subdwarfs and the normal M dwarfs which are the most numerous stellar members in the Milky Way.

Their study was published in *The Astrophysical Journal*.

"We have revised the spectroscopic classification system and measured the atmospheric parameters of all the dwarf/subdwarf samples. The results show that the new system behaves better on finding the tiny red beasts, which are the genuine subdwarfs," said Zhang Shuo, the first author of the study.

The researchers studied the effects of the revision in the classification system that was applied to the spectroscopic subdwarf samples selected from LAMOST and SDSS. They found that the "genuine" subdwarfs identified by luminosity and motion are the ones with the lowest metal abundances, and also have the highest gravity, which was not considered an characteristic feature of subdwarf stars.

"For decades, people have collectively referred to the real subdwarfs and a group of metal-poor dwarfs as 'subdwarfs' based on some specific spectral features, but these misclassified stellar objects behave like classical disk dwarfs on all aspects," said Zhang Shuo. "We found that gravity value is a great criterion to separate them from the genuine subdwarfs."



"The largest sample of M subdwarf stars we built ever had helped us to make this important discovery. More importantly, kinematic and chemical analysis shows that the sample contains a mix of objects belonging to various stellar populations and having different origins, which deserves further study," said Prof. Luo.

More information: Shuo Zhang et al, M-subdwarf Research. II. Atmospheric Parameters and Kinematics, *The Astrophysical Journal* (2021). <u>DOI: 10.3847/1538-4357/abcfc5</u>

Provided by Chinese Academy of Sciences

Citation: Looking for the genuine 'tiny red beasts' in the Milky Way (2021, May 19) retrieved 10 May 2024 from <u>https://phys.org/news/2021-05-genuine-tiny-red-beasts-milky.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.