

Researchers create new lunar map to help guide future exploration missions

May 4 2021





View of the southern, midlatitude far side of the moon showing the SPA basin outlined in white and the Schrödinger basin outlined in yellow (modified from LPI Lunar South Pole Atlas). Credit: Ellen Czaplinski

A new map including rover paths of the Schrödinger basin, a geologically important area of the moon, could guide future exploration missions. The map was created by a team of interns at the Lunar and Planetary Institute, including Ellen Czaplinski, a U of A graduate student researcher at the Arkansas Center for Planetary Sciences and first author of a paper published in *The Planetary Science Journal*.

The researchers identified significant geologic features of the Schrödinger <u>basin</u>, located near the lunar south pole. Schrödinger is the second-youngest impact basin on the moon and includes diverse crustal features and <u>rock</u> types that are important to understanding the moon's geological history.

"When the Schrödinger basin was formed, some of these lithologies (the general physical characteristics of the rocks) may have been uplifted from very deep below the <u>lunar surface</u>," Czaplinski said. "Therefore, investigating these rocks up close is extremely important for answering high-priority science goals."

In 2007, the National Research Council outlined scientific objectives and goals of future lunar missions, including exploration of the South Pole-Aitken basin, the oldest and deepest impact basin on the moon. Because the Schrödinger basin is located within the South Pole-Aitken basin, it presents a unique opportunity to study rocks that possibly originated deep below the surface, Czaplinski said.

"Many of these rock types are exposed at the surface in multi-kilometer



long exposures of rock outcrops in Schrödinger's 'peak ring,' an inner ring of uplifted rocks that formed with the basin. Sampling these rocks within the peak ring provides high scientific potential for further understanding the context of Schrödinger's lithologies."

Along with the map, researchers created three potential paths for robotic rovers to travel through the Schrödinger basin to collect high-priority rock samples.

More information: E. C. Czaplinski et al. Human-assisted Sample Return Mission at the Schrödinger Basin, Lunar Far Side, Using a New Geologic Map and Rover Traverses, *The Planetary Science Journal* (2021). DOI: 10.3847/PSJ/abdb34

Provided by University of Arkansas

Citation: Researchers create new lunar map to help guide future exploration missions (2021, May 4) retrieved 24 May 2024 from <u>https://phys.org/news/2021-05-lunar-future-exploration-missions.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.