

Newly described horned dinosaur from New Mexico was the earliest of its kind

May 11 2021



With a frilled head and beaked face, *Menefeeceratops sealeyi*, discovered in New Mexico, lived 82 million years ago. It predated its better-known relative, *Triceratops*. Credit: Sergey Krasovskiy

A newly described horned dinosaur that lived in New Mexico 82 million years ago is one of the earliest known ceratopsid species, a group known as horned or frilled dinosaurs. Researchers reported their find in a publication in the journal *PalZ* (Paläontologische Zeitschrift).

Menefeeeceratops sealeyi adds important information to scientists' understanding of the evolution of ceratopsid dinosaurs, which are characterized by horns and frills, along with beaked faces. In particular, the discovery sheds light on the centrosaurine subfamily of horned dinosaurs, of which *Menefeeeceratops* is believed to be the oldest member. Its remains offer a clearer picture of the group's evolutionary path before it went extinct at the end of the Cretaceous.

Steven Jasinski, who recently completed his Ph.D. in Penn's Department of Earth and Environmental Science in the School of Arts & Sciences, and Peter Dodson of the School of Veterinary Medicine and Penn Arts & Sciences, collaborated on the work, which was led by Sebastian Dalman of the New Mexico Museum of Natural History and Science. Spencer Lucas and Asher Lichtig of the New Mexico Museum of Natural History and Science in Albuquerque were also part of the research team.

"There has been a striking increase in our knowledge of ceratopsid diversity during the past two decades," says Dodson, who specializes in the study of horned dinosaurs. "Much of that has resulted from discoveries farther north, from Utah to Alberta. It is particularly exciting that this find so far south is significantly older than any previous ceratopsid discovery. It underscores the importance of the Menefee dinosaur fauna for the understanding of the evolution of Late Cretaceous dinosaur faunas throughout western North America."

The fossil specimen of the new species, including multiple bones from one individual, was originally discovered in 1996 by Paul Sealey, a

research associate of the New Mexico Museum of Natural History and Science, in Cretaceous rocks of the Menefee Formation in northwestern New Mexico. A field crew from the New Mexico Museum of Natural History and Science collected the specimen. Tom Williamson of the New Mexico Museum of Natural History and Science briefly described it the following year, and recent research on other ceratopsid dinosaurs and further preparation of the specimen shed important new light on the fossils.

Based on the latest investigations, researchers determined the fossils represent a new species. The genus name *Menefeeeceratops* refers to the rock formation in which it was discovered, the Menefee Formation, and to the group of which the species is a part, Ceratopsidae. The species name *sealeyi* honors Sealey, who unearthed the specimen.

Menefeeeceratops is related to but predates *Triceratops*, another ceratopsid dinosaur. However *Menefeeeceratops* was a relatively small member of the group, growing to around 13 to 15 feet long, compared to *Triceratops*, which could grow to up to 30 feet long.

Horned dinosaurs were generally large, rhinoceros-like herbivores that likely lived in groups or herds. They were significant members of Late Cretaceous ecosystems in North America. "Ceratopsids are better known from various localities in western North America during the Late Cretaceous near the end of the time of dinosaurs," says Jasinski. "But we have less information about the group, and their fossils are rarer, when you go back before about 79 million years ago."

Although bones of the entire dinosaur were not recovered, a significant amount of the skeleton was preserved, including parts of the skull and lower jaws, forearm, hindlimbs, pelvis, vertebrae, and ribs. These bones not only show the animal is unique among known dinosaur species but also provide additional clues to its life history. For example, the fossils

show evidence of a potential pathology, resulting from a minor injury or disease, on at least one of the vertebrae near the base of its spinal column.

Some of the key features that distinguish Menefeceratops from other horned dinosaurs involve the bone that make up the sides of the dinosaur's frill, known as the squamosal. While less ornate than those of some other ceratopsids, Menefeceratops' squamosal has a distinct pattern of concave and convex parts.

Comparing features of Menefeceratops with other known ceratopsid dinosaurs helped the research team trace its evolutionary relationships. Their analysis places Menefeceratops sealeyi at the base of the evolutionary tree of the centrosaurines subfamily, suggesting that not only is Menefeceratops one of the oldest known centrosaurine ceratopsids, but also one of the most basal evolutionarily.

Menefeceratops was part of an ancient ecosystem with numerous other dinosaurs, including the recently recognized nodosaurid ankylosaur Invictarx and the tyrannosaurid Dynamoterror, as well as hadrosaurids and dromaeosaurids.

"Menefeceratops was part of a thriving Cretaceous ecosystem in the southwestern United States with dinosaurs that predated a lot of the more well-known members closer to end of the Cretaceous," says Jasinski.

While relatively less work has been done collecting [dinosaurs](#) in the Menefee Formation to date, the researchers hope that more field work and collecting in these areas, together with new analyses, will turn up more fossils of Menefeceratops and ensure a better understanding of the ancient ecosystem of which it was part.

More information: Sebastian G. Dalman et al, The oldest centrosaurine: a new ceratopsid dinosaur (Dinosauria: Ceratopsidae) from the Allison Member of the Menefee Formation (Upper Cretaceous, early Campanian), northwestern New Mexico, USA, *PalZ* (2021). [DOI: 10.1007/s12542-021-00555-w](https://doi.org/10.1007/s12542-021-00555-w)

Provided by University of Pennsylvania

Citation: Newly described horned dinosaur from New Mexico was the earliest of its kind (2021, May 11) retrieved 25 April 2024 from <https://phys.org/news/2021-05-newly-horned-dinosaur-mexico-earliest.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.