

Volcanic eruptions, hurricanes affect rainfall on Hawai'i Island

May 10 2021







Sampling a rain collector near the Pu'u Lā'au cabin on Mauna Kea. Credit: Kiana Frank

To better understand how and where groundwater is recharged on Hawai'i Island, a team of earth and atmospheric scientists from the University of Hawai'i at Mānoa looked to the source—rainfall. In a published study, the team reported a time-series of rainfall data which highlights that extreme events, such as volcanic eruptions and hurricanes, can affect the chemistry of precipitation.

The researchers measured hydrogen and oxygen isotopes and the chemical composition of rainfall from central to leeward Hawai'i Island at 20 stations. Rain <u>water</u> isotopes help scientists identify the origin of groundwater and understand the recharge processes in a region.

Preparing for future water security

The results from this study can be used to better quantify and characterize precipitation—the ultimate source of Hawai'i's groundwater.

"In order to better serve communities in Hawai'i, specifically in access to <u>fresh water</u> and ensuring better water management, we need to understand where the groundwater is recharging and how it flows in the different aquifer systems," said Diamond Tachera, lead author of the study and graduate researcher at UH Mānoa's School of Ocean and Earth Science and Technology (SOEST). "This is critical to future water security."

Serendipitous timing



Hawai'i Island is characterized by the interactions of Pacific trade wind flow with two 13,000-feet <u>high mountains</u>, as well as one of the largest natural emitters of sulfur dioxide on the planet—Kīlauea Volcano.







Rain collector located near the HiSEAS site on Mauna Loa. Credit: Diamond Tachera

The study period included an extreme weather event, Hurricane Lane, a major volcanic eruption at Kīlauea in 2018 and the nearly-complete cessation of long-term volcanic emissions after that historic event.

"These events allowed us the rare opportunity to investigate the impact of volcanic emissions such as sulfate (also known as vog) and a hurricane on precipitation chemistry," said Tachera.

Consistent with previous research, the study revealed long-term variability in rainfall chemistry due to changes in atmospheric and climate processes in this region. Additionally, the team found significantly more sulfate in the rain samples collected during the Kīlauea eruption and substantially less after the volcanic activity ceased.

"Interestingly, we documented a decrease in the amount of <u>rainfall</u>, which may have been due to increased aerosols from the Kīlauea eruption, as well as isotopic changes in precipitation coinciding with Hurricane Lane," said Tachera.

More information: Characterization of the isotopic composition and bulk ion deposition of precipitation from Central to West Hawai'i Island between 2017 and 2019. *Journal of Hydrology: Regional Studies*, doi.org/10.1016/j.ejrh.2021.100786

Provided by University of Hawaii at Manoa



Citation: Volcanic eruptions, hurricanes affect rainfall on Hawai'i Island (2021, May 10) retrieved 15 June 2024 from <u>https://phys.org/news/2021-05-volcanic-eruptions-hurricanes-affect-rainfall.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.