

# Forest loss threat to one of world's largest eagles

June 30 2021, by Kelly MacNamara

---



Camera traps showed adult eagles delivering less food to nests, where eaglets often starved to death.

Harpy eagles in deforested areas of the Amazon may be among the world's largest and most powerful birds, but they are struggling to feed

their young as their habitat is destroyed, researchers warned on Wednesday.

The long-lived eagles, with legs almost as thick as a human wrist and claws as big as a hand, feed mainly on sloths and monkeys that they catch in the forest canopy.

Their talons can "perforate the skull of the largest primates in the Americas," said researcher Everton Miranda of the University of KwaZulu-Natal, who said looking at the raptors was like "looking in the eyes of natural selection itself".

But a new study he led shows the devastating impacts humans have wrought on the birds, which tend to remain in one nesting site for decades.

Researchers set up camera traps and identified bone fragments at 16 eagle nests in the Mato Grosso area of the Brazilian Amazon.

They found that eagles cannot find enough food if their territory is deforested above 50 percent.

Eaglets starved in their nests in areas of severe forest loss.

While previous research has suggested harpy eagles can switch to other prey, such as armadillos, when they face food shortages, the latest study found no such switching to hunt other animals.



Harpy eagles have been recorded living more than 50 years in the wild.

Miranda said this is partly because the birds, which are listed as "near threatened" by the International Union for Conservation of Nature, need forest cover and plenty of prey in the tree canopy to thrive.

Of 306 prey remains, nearly half were two-toed sloths, brown capuchin monkeys and grey woolly monkeys.

Once common from southern Mexico to Argentina, the total population of harpy eagles has shrunk more than 40 percent since the 19th century, with habitat loss and shooting among the biggest causes.



## No alternative prey

The study, published in the journal *Scientific Reports*, said 93 percent of their distribution range is now within Amazonian forests.

The apex predators, which weigh up to about 7.3 kilograms (16 pounds) for females and 5.9 kg for males, can live for decades, with one wild-caught individual recorded at 54 years old, according to the study.



The breeding cycle lasts up to 18 months, during which an adult pair will typically raise only one chick.

Their breeding cycle lasts up to a year and a half, during which they lay two eggs but fledge only a single eaglet.

The eagles have been known to breed at the same t-shaped nest tree for several decades, the study said, though it noted these "trees are typically of commercial interest to the logging industry".

In deforested areas, the authors saw that instead of switching to alternative prey, the eagles returned with their normal food less frequently.

Three eaglets starved in landscapes where deforestation was between 50-70 percent. In areas where the rate of deforestation was over 70 percent, no nests were found.

This suggests that broader declines in harpy eagle populations are driven by "prey scarcity derived from habitat loss, which is caused by cattle ranching," Miranda told AFP.

He said it was only after checking the camera trap data that they realised the eagles were under "severe food stress".



Breeding pairs will stick to the same nest site, often for decades.

The researchers estimate that deforestation means that around 35 percent of northern Mato Grosso is now unsuitable for breeding harpy eagles.

The long-term survival of the harpy eagles depends on forest conservation and Miranda said this would need forest fragments to be reconnected as well as "real action from the government to prevent illegal deforestation".

In the short term he said groups should give food to starving eaglets.

"Nowadays, when we monitor individuals under food stress, we offer them supplementary food if required," he said.



**More information:** Tropical deforestation induces thresholds of reproductive viability and habitat suitability in Earth's largest eagles, *Scientific Reports* (2021). [DOI: 10.1038/s41598-021-92372-z](https://doi.org/10.1038/s41598-021-92372-z) , [www.nature.com/articles/s41598-021-92372-z](https://www.nature.com/articles/s41598-021-92372-z)

© 2021 AFP

Citation: Forest loss threat to one of world's largest eagles (2021, June 30) retrieved 11 May 2024 from <https://phys.org/news/2021-06-deforestation-threatens-world-largest-eagles.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.