

Earth's meteorite impacts over past 500 million years

June 8 2021



The asteroid belt between Jupiter and Mars is the main source of extraterrestrial material that lands on Earth. Credit: ESA/ATG Medialab

For the first time, a unique study conducted at Lund University in

Sweden has tracked the meteorite flux to Earth over the past 500 million years. Contrary to current theories, researchers have determined that major collisions in the asteroid belt have not generally affected the number of impacts with Earth to any great extent.

Researchers have been studying geological series since the 19th century in order to reconstruct how flora, fauna and the climate have changed over millions of years. Until now, however, almost nothing has been known about ancient meteorite [flux](#)—which makes sense since impact is rare, and the battered celestial bodies quickly break down as they encounter Earth's oxygen. A new study published in *PNAS* shows how researchers in Lund have reconstructed meteorite bombardment towards Earth over the past 500 million years.

"The [research community](#) previously believed that meteorite flux to Earth was connected to dramatic events in the asteroid belt. The new study, however, shows that the flux has instead been very stable," says Birger Schmitz, professor of geology at Lund University.

To conduct the study, researchers at Lund University's Astrogeobiology Laboratory dissolved almost ten tons of sedimentary rocks from ancient seabeds in strong acids because the sediment contains residue from the meteorites dating back to when they fell to Earth.

Meteorites contain a small fraction of a mineral, a chromium oxide, which is very resistant to degradation. The microscopic chromium oxide grains were sifted out in the laboratory and serve as time capsules with an abundance of information.

"The dissolved sediment represents 15 periods over the past 500 million years. In total, we have extracted chromium oxide from almost 10 000 different meteorites. Chemical analyses then enabled us to determine which types of meteorites the grains represent," says Birger Schmitz.

A couple of thousand meteorites land on the Earth's surface every year, and approximately 63 000 space rocks have been documented by science. The space rocks originate from the asteroid belt between Mars and Jupiter where battered celestial bodies from gigantic collisions revolve around the sun.

"We were very surprised to learn that only one of the 70 largest asteroid collisions that took place over the past 500 million years resulted in an increased flux of meteorites to Earth. For some reason, most of the rocks stay in the [asteroid belt](#)," says Birger Schmitz.

The study not only upends generally accepted [meteorite](#) flux theories; it also provides entirely new perspectives on which types of celestial bodies are at greatest risk of colliding with Earth and where in the solar system they originate. From a geological time perspective, kilometer-sized celestial bodies collide with the Earth on a regular basis. One such event took place 66 million years ago, when a celestial [body](#) stretching over 10 kilometers in size hit the Yucatán Peninsula. The impact was part of the reason the Earth went dark and dinosaurs starved to death.

"Future impact from even a small asteroid for example in the sea close to a populated area could lead to disastrous outcomes. This study provides important understanding that we can use to prevent this from happening; for example, by attempting to influence the trajectory of rapidly approaching [celestial bodies](#)," concludes Birger Schmitz.

More information: Fredrik Terfelt et al, Asteroid break-ups and meteorite delivery to Earth the past 500 million years, *Proceedings of the National Academy of Sciences* (2021). [DOI: 10.1073/pnas.2020977118](https://doi.org/10.1073/pnas.2020977118)

Provided by Lund University

Citation: Earth's meteorite impacts over past 500 million years (2021, June 8) retrieved 26 April 2024 from <https://phys.org/news/2021-06-earth-meteorite-impacts-million-years.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.