


Making equal-size colloidal quantum dots

June 25 2021



Credit: CC0 Public Domain

Quantum dots (QDs) are semiconductor particles only a few nanometers across that, thanks to their small size, exhibit peculiar optical and electronic properties due to quantum mechanics. With existing and foreseen applications in screens, lighting, lasers, and energy harvesting, research in quantum dots has been steadily progressing. In particular,

colloidal QDs (CQDs) have been in the nanotechnology spotlight for over a decade.

CQDs are semiconductor nanocrystals that can be produced easily from solution-based processes, which make them suitable for mass production. However, for CQD-based devices to operate at their best, the [quantum dots](#) should be monodisperse—that is, they should all have the same size. If their sizes are not equal (polydisperse), the energetic disorder within the optoelectronic device increases, which in turn hinders its performance. While some strategies exist to combat polydispersity in CQDs, the problem is trickier to avoid in perovskite-based CQDs (Pe-CQDs), which require a purification step with an antisolvent. This step invariably leads to nanoparticle agglomeration, and ultimately, large variations in size between quantum dots.

Although producing well-purified monodisperse Pe-CQDs might be necessary to produce highly [efficient solar cells](#), no one has carefully explored the relationship between polydispersity and photovoltaic (conversion) performance. To fill in this knowledge gap, Dr. Younghoon Kim and Assistant Professor Jongmin Choi from Daegu Gyeongbuk Institute of Science and Technology, Korea, recently led a team of scientists in a study that published in *ACS Energy Letters*. The researchers used a technique called gel permeation chromatography to 'filter' and group nanoparticles based on their size, as confirmed by several measurements of their optical properties as well as transmission electron microscopy. With this approach, they managed to obtain suspensions of Pe-CQDs with different degrees of polydispersity.

Afterwards, they used these suspensions to fabricate [solar cells](#) and demonstrate the link between polydispersity and performance. As expected, the monodisperse suspension resulted in a better solar cell thanks to its homogeneous energy landscape, which led to higher light absorption within the optimal frequency band. "With the monodisperse

Pe-CQDs, our solar cells reached a [power conversion efficiency](#) of 15.3% and an open-circuit voltage of 1.27 V. These values are the highest ever reported for Pe-CQDs based on CsPbI₃, the perovskite we used," highlights Dr. Kim.

Overall, this study is a steppingstone in the field of solar cells based on Pe-CQDs, which still need to outperform their silicon-based counterparts to warrant commercialization. "Research on Pe-CQD solar [cells](#) began about four years ago, so further studies are needed to improve device performance and stability. Still, our approach for minimizing energetic disorder using monodisperse Pe-CQDs paves the way to further develop their potential in optoelectronic applications," concludes Dr. Choi.

More information: Seyeong Lim et al, Monodisperse Perovskite Colloidal Quantum Dots Enable High-Efficiency Photovoltaics, *ACS Energy Letters* (2021). [DOI: 10.1021/acsenergylett.1c00462](https://doi.org/10.1021/acsenergylett.1c00462)

Provided by DGIST (Daegu Gyeongbuk Institute of Science and Technology)

Citation: Making equal-size colloidal quantum dots (2021, June 25) retrieved 2 May 2024 from <https://phys.org/news/2021-06-equal-size-colloidal-quantum-dots.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
