

The fine nose of storks: Birds are drawn to scent of grass, leafy greens

June 21 2021



The prey of storks like to live in tall grass. Foraging is easier for the birds when the meadows are freshly mowed. Credit: MPI of Animal Behavior/ C. Ziegler

The sharp eyes of an eagle, the extraordinary hearing of an owl—to successfully find food, the eyes and ears of birds have adapted optimally



to their living conditions. Until now, the sense of smell has played a rather subordinate role. When meadows are freshly mowed, storks often appear there to search for snails and frogs. Researchers at the Max Planck Institute for *Animal Behavior* in Radolfzell and the Max Planck Institute for Chemistry in Mainz have now studied the birds' behavior and discovered that the storks are attracted by the smell of the mown grass. Only storks that were downwind and could thus perceive the smell reacted to the mowing. The scientists also sprayed a meadow with a spray of green leaf scents released during mowing. Storks appeared here as well. This shows that white storks use their sense of smell to forage and suggests that the sense of smell may also play a greater role in other birds than previously thought.

For farmers around Lake Constance, it's a familiar sight: when they start mowing their meadows, storks often appear next to the tractors as if out of nowhere. The white storks live in the wet areas around the lake, feeding on snails, frogs and small rodents that find shelter in high meadows. If these meadows are mowed, the small animals are easy prey. However, the storks do not always appear when mowing takes place. Until now, it was not known how the storks locate the rich food source.

Previously, it was believed that birds relied primarily on their eyes and ears rather than their <u>sense of smell</u>. "It was simply assumed that birds can't smell well because they don't have real noses," says Martin Wikelski, director at the Max Planck Institute of Animal Behavior. "Yet they have a very large olfactory bulb in the brain with many receptor molecules for scents." So birds have the best prerequisites for a fine nose.

Testing for smell

Wikelski has spent many years observing storks and researching their migratory behavior, among other things. When he talked to his colleague



Jonathan Williams about the storks' puzzling reaction to mowed meadows, Williams had an idea. Williams works at the Max Planck Institute for Chemistry in Mainz, Germany, studying volatile organic compounds and their effects on humans and the environment. "My guess was that the storks were reacting to the intense smell of freshly cut grass ," Williams says. This typical smell is produced by so-called green leaf odorants and consists of only three different molecules. "These are also added to perfumes, for example, to give them a fresh, "green" note," explains Williams.



Often, the first storks appear shortly after mowing begins. The smell of the freshly cut grass attracts them. Credit: MPI of Animal Behavior/ C. Ziegler



The researchers now wanted to find out whether the sense of smell actually leads the storks to freshly mown meadows. To do this, they monitored the birds' movements both from aircraft and via GPS sensors of tagged animals. "We first had to rule out the possibility that the storks could hear the tractor or see the mowing process," Wikelski says. Therefore, they only included storks in the observation that were more than 600 meters away from the mowed meadow and did not have direct visual contact. The researchers also made sure that the storks were not alerted to the mowing process by the behavior of conspecifics or other birds.

When mowing began, only the storks that were downwind flew to the meadow in question. The conspecifics that were upwind and thus could not perceive the grass smell did not react. To test whether the smell of the cut grass alone attracted the storks, the researchers switched to a meadow that had been mowed two weeks earlier. "The grass of this meadow was still very short. Therefore, it is uninteresting for the storks to forage," Wikelski explained. On this meadow, he and colleagues spread grass that had been mowed a short time before at a greater distance. A short time later, the first storks flew in and searched for food in the mown grass.

The researchers finally mixed a solution of green leaf scents and sprayed it on a meadow with short grass. The meadow then smelled intensely of mown grass and also attracted storks from the surrounding area. "This proves that storks find their way to feeding sites via scents in the air," Williams says.

This finding contradicts the previous assumption that storks primarily use their eyes to find food. Rather, the <u>birds</u> rely on their sense of smell to do so. "There have been <u>storks</u> that have flown more than 25 kilometers from the other side of Lake Constance to mowed meadows," Wikelski says. The researchers suspect that the sense of <u>smell</u> may also



play a greater role than previously thought in the foraging activities of other bird species. Birds of prey such as buzzards and red kites are regularly observed flying over freshly mown meadows.

More information: Martin Wikelski et al, Smell of green leaf volatiles attracts white storks to freshly cut meadows, *Scientific Reports* (2021). DOI: 10.1038/s41598-021-92073-7

Provided by Max Planck Society

Citation: The fine nose of storks: Birds are drawn to scent of grass, leafy greens (2021, June 21) retrieved 28 June 2024 from <u>https://phys.org/news/2021-06-fine-nose-storks-birds-drawn.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.