

Synthesizing green gold nanoparticles for cancer therapy with biomolecules

June 28 2021

Nanoparticles from Biomolecules: An Eco-friendly Synthesis

The infographic is divided into two main sections. The left section, on a green background, discusses the application of gold nanoplates (AuNPIs). It states that AuNPIs have attractive prospects in cancer therapy due to their strong absorption of near-infrared (NIR) light. A diagram shows NIR light penetrating tissue, being absorbed by AuNPIs, and converted into heat for photothermal cancer therapy. A question box asks, "Is there a safer, eco-friendly protocol?" and notes that current synthesis methods require harsh reagents and toxic conditions. The right section, on a blue background, details the "One-pot green synthesis of triangular AuNPIs" using biomolecules. It shows the reaction of AuCl₃ and a peptide (B3/B3 derivatives) to form B3-AuNPIs. This method is described as a biosafe synthesis that opens doors to non-toxic synthesis for biological applications. Two images show the resulting nanoparticles under -NIR irradiation (appearing blue) and +NIR irradiation (appearing red). The text concludes that these can be used for photothermal therapy *in vitro*.

Synthesis of near-infrared absorbing triangular Au nanoplates using biomineralisation peptides
 Tanaka et al. (2021) | *ACTA Biomaterialia*

東京工業大学
 Tokyo Institute of Technology

Credit: Tokyo Institute of Technology

Scientists at Tokyo Institute of Technology (Tokyo Tech) have designed an eco-friendly protocol for synthesizing gold nanoparticles with optimized morphology for near-infrared light absorption using a biomolecule called B3 peptide. In their paper, they report the synthesis of triangular and circular gold nanoplates and their effectiveness in killing cancer cells by converting the absorbed light into heat, providing

useful insights for the development of non-invasive cancer therapy.

In [cancer therapy](#), the effectiveness of an approach is determined by its ability to preserve the non-[cancerous cells](#). Simply put, the higher the collateral damage, the greater are the side-effects of a therapy. An ideal situation is where only the cancer cells can be targeted and destroyed. In this regard, photothermal therapy—an approach in which cancer cells infused with [gold nanoparticles](#) can be heated up and destroyed using near-infrared (NIR) light that is strongly absorbed by the gold nanoparticles—has emerged as a promising strategy due to its minimally invasive nature.

"Because NIR light is able to penetrate biological tissues, it can illuminate the gold nanoparticles within the body and turn them into nano-sized cell heating agents," explains Prof. Masayoshi Tanaka from Tokyo Institute of Technology (Tokyo Tech), Japan, who researches nanomaterials for biomedical applications.

In particular, gold nanoplates (AuNPLs) are extremely attractive as photothermal therapeutic agents owing to their efficient absorption of NIR light. However, synthesizing these nanoparticles requires harsh reagents and highly toxic conditions, making the process hazardous. In a new study, Prof. Tanaka and his collaborators from UK (University of Leeds) and Korea (Chung-Ang University) have now addressed this issue by developing a safer and more eco-friendly protocol for AuNPL synthesis, the results of which are published in *ACTA Biomaterialia*.

The team took the hint from a process called "biomineralization" that uses biomolecules to generate metal nanoparticles with tunable structures. "Peptides, or short chains of amino acids, are particularly attractive candidates for this purpose because of their relatively small size and stability. However, their use for producing Au nanoparticles with optimized structures for efficient NIR absorption has not yet been

reported," says Prof. Tanaka.

Motivated, the team began by identifying [peptides](#) suitable for the mineralization of AuNPs and, after picking out over 100 peptides, decided to examine the potential of a peptide named B3 for synthesizing AuNPs with controllable structure that can serve as photothermal conversion agents.

In a process called "one pot synthesis," the team mixed a gold salt, HAuCl₄, along with B3 peptide and its derivatives at various concentrations in a buffer solution (an aqueous solution resistant to changes in pH) at neutral pH and synthesized triangular and circular-shaped AuNPs with different levels of NIR absorption based on the peptide concentration.

The team then tested the effect of the AuNPs on cultured [cancer cells](#) under irradiated conditions and found them to exhibit the desired therapeutic effects. Furthermore, on characterizing the peptide using B3 derivatives, they found that an amino acid called histidine governed the structure of the AuNPs.

"These findings provide not only an easy and green synthetic method for AuNPs but also insight into the regulation of peptide-based nanoparticle synthesis," comments Prof. Tanaka excitedly. "This could open doors to new techniques for non-toxic synthesis of nanoparticle therapeutic agents."

Indeed, we might have struck gold with [gold nanoparticles](#)!

More information: Masayoshi Tanaka et al, Synthesis of near-infrared absorbing triangular Au nanoplates using biomineralisation peptides, *Acta Biomaterialia* (2021). [DOI: 10.1016/j.actbio.2021.06.010](https://doi.org/10.1016/j.actbio.2021.06.010)

Provided by Tokyo Institute of Technology

Citation: Synthesizing green gold nanoparticles for cancer therapy with biomolecules (2021, June 28) retrieved 28 April 2024 from <https://phys.org/news/2021-06-green-gold-nanoparticles-cancer-therapy.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.