


'LEGO' technique reveals the physics of DNA transport through nanopores

June 29 2021, by Vanessa Bismuth



Artist's impression of DNA polymer transport through a nanopore. Credit: Kaikai Chen

Polymers are long, chain-like molecules which are everywhere in

biology. DNA and RNA are polymers formed by many consecutive copies of nucleotides coupled together. When being transported within or between cells, these biological polymers must pass through nanometre-sized holes called "nanopores".

This process also underlies a rapidly developing method for analyzing and sequencing DNA called nanopore sensing.

The study, published in the journal *Nature Physics*, shows how the Cavendish-led team developed a new LEGO-like technique for assembling DNA [molecules](#) that have protruding bumps at specific locations along their length. By passing these DNA molecules through a nanopore and analyzing simultaneous changes in the pattern of ion flow, the researchers determined with great precision how the speed of the DNA changes as it moves through.

The [experimental results](#) revealed a [two-step process](#) where the DNA speed initially slows down before accelerating close to the end of the translocation. Simulations also demonstrated this two-stage process and helped to reveal that the underlying physics of the process is determined by changing friction between the DNA and surrounding fluid.

"Our method for assembling LEGO-like molecular DNA rulers has given new insight into the process of threading polymers through incredibly small holes just a few nanometres in size," explained Senior author Dr. Nicholas Bell from Cambridge's Cavendish Laboratory. "The combination of both experiments and simulations have revealed a comprehensive picture of the underlying physics of this process and will aid the development of nanopore-based biosensors. It is very exciting that we can now measure and understand these molecular processes in such minute detail."

"These results will help improve the accuracy of nanopore sensors in

their various applications, for instance localizing specific sequences on DNA with nanometer accuracy or detecting diseases early with target RNA detection," said lead author Kaikai Chen.

"The superior resolution in analyzing molecules passing through nanopores will allow for low-error decoding of digital information stored on DNA. We are exploring and improving the utility of [nanopore](#) sensors for these applications."

More information: Kaikai Chen et al, Dynamics of driven polymer transport through a nanopore, *Nature Physics* (2021). [DOI: 10.1038/s41567-021-01268-2](#)

Provided by University of Cambridge

Citation: 'LEGO' technique reveals the physics of DNA transport through nanopores (2021, June 29) retrieved 26 April 2024 from <https://phys.org/news/2021-06-lego-technique-reveals-physics-dna.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--