

## This molecule is made from sugar, shaped like a doughnut, and formed using light

June 21 2021



Gamma-cyclodextrin's water-soluble, doughnut shaped structure allows it to trap other molecules and makes it useful in the production of pharmaceuticals, food, and household products. Figure by Sirun Yang from Harata, Bull. Chem. Soc. Of Japan, 60, 2763 (1987). Credit: Sirun Yang from Harata, Bull. Chem. Soc. Of Japan, 60, 2763 (1987).

A process using a light-sensitive chemical can drastically reduce cost and energy consumption to produce gamma-cyclodextrin, a compound that is widely used in manufacturing, according to a Dartmouth study.

The research, published in Chem, demonstrates how a hydrazone



template can replace energy-intensive distillation to produce and isolate gamma-cyclodextrin—a water-soluble chemical that attracts other molecules and is used to enhance food, pharmaceuticals, and a wide range of consumer products.

"These <u>compounds</u> are biodegradable, biocompatible, benign and commonly used," said Ivan Aprahamian, a professor of chemistry at Dartmouth. "We are making production much more efficient so that they can be even more available to industry."

Cyclodextrins are naturally occurring compounds that encapsulate and preserve active ingredients in a product until it is used. The water-soluble compounds are made of glucose and are produced when enzymes are added to starch. Their doughnut-like shape allows them to act as molecular containers that surround other compounds until they are released by heat or other <u>physical processes</u>.

Compared to other common cyclodextrins—such as alpha-cyclodextrin and beta-cyclodextrin—gamma-cyclodextrin is the largest and most water soluble.

"The unique structure of this molecule helps it hold bulky molecules like vitamins and sensitive dyes," said Sirun Yang, first author of the paper and a graduate student in the Aprahamian Research Group at Dartmouth. "Gamma-cyclodextrin was already useful to industry, now we're making it more accessible for producers of pharmaceuticals, food and household products."

In pharmaceuticals, the compound gives medications longer shelf lives and allows them to be formed into easily eaten and digestible forms. Air fresheners use the compound to capture smelly molecules, lowering their concentration in the air. Fragrances use it to slowly release pleasantsmelling compounds.



According to Aprahamian, the challenge for industry is that gammacyclodextrin is also energy-intensive and expensive to prepare and isolate. Until now, a costly steam distillation process was required to remove the molecular template that is used to form the compound.

Through the use of a template made from light-sensitive hydrazone, the new process guides gamma-cyclodextrin into its distinctive containerlike doughnut shape during its enzymatic production, but can then be removed using a cost-effective and environmentally friendly photoirradiation process.

"Our method relies on using hydrazone, which is a photoswitch that can be easily added into the gamma-cyclodextrin cavity," said Aprahamian. "Once you introduce light, it changes shape and leaves the cavity, facilitating the isolation of the compound. There is no more need for steam distillation."

The new process makes the highly functional compound more resource and price competitive when compared to the more readily available cyclodextrins.

With cheaper production costs, gamma-cyclodextrin could become more available for use in a wide range of consumer products. For pharmaceuticals, increased use of the compound would allow manufacturers to formulate lower dosages of <u>active ingredients</u>, making medication less expensive and reducing side effects.

Maria Pellegrini and Dale Mierke from Dartmouth, and Sophie Beeren, Dennis Larsen and Sebastian Meier from the Technical University of Denmark also contributed to this study.

More information: *Chem* (2021). <u>DOI:</u> <u>10.1016/j.chempr.2021.05.013</u>



## Provided by Dartmouth College

Citation: This molecule is made from sugar, shaped like a doughnut, and formed using light (2021, June 21) retrieved 16 June 2024 from <u>https://phys.org/news/2021-06-molecule-sugar-doughnut.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.