

## NASA completes additional tests to diagnose computer problem on Hubble space telescope

June 26 2021



Hubble Space Telescope. Credit: NASA

NASA is continuing to diagnose a problem with the payload computer on the Hubble Space Telescope after completing another set of tests on June 23 and 24. The payload computer halted on June 13 and the spacecraft stopped collecting science data. The telescope itself and its science instruments remain in good health and are currently in a safe



configuration.

The spacecraft has two payload computers, one of which serves as a backup, that are located on the Science Instrument and Command and Data Handling (SI C&DH) unit. There are various pieces of <u>hardware</u> which make up both payload computers, including but not limited to:

- a Central Processing Module (CPM), which processes the commands that coordinate and control the science instruments
- a Standard Interface (STINT), which bridges communications between the <u>computer</u>'s CPM and other components
- a communications bus, which contains lines that pass signals and data between hardware
- and one active memory module, which stores operational commands to the instruments. There are three additional modules which serve as backups.

Additional tests performed on June 23 and 24 included turning on the backup computer for the first time in space. The tests showed that numerous combinations of these hardware pieces from both the primary and backup payload computer all experienced the same error—commands to write into or read from memory were not successful.

Since it is highly unlikely that all individual hardware elements have a problem, the team is now looking at other hardware as the possible culprit, including the Command Unit/Science Data Formatter (CU/SDF), another module on the SI C&DH. The CU formats and sends commands and data to specific destinations, including the <u>science</u> instruments. The SDF formats the <u>science data</u> from the <u>science</u> instruments for transmission to the ground. The team is also looking at the power regulator to see if possibly the voltages being supplied to hardware are not what they should be. A power regulator ensures a



steady constant voltage supply. If the voltage is out of limits, it could cause the problems observed.

Over the next week, the team will continue to assess hardware on the SI C&DH unit to identify if something else may be causing the problem. If the team determines the CU/SDF or the power regulator is the likely cause, they will recommend switching to the backup CU/SDF module and the <u>backup</u> power regulator.

Provided by NASA's Goddard Space Flight Center

Citation: NASA completes additional tests to diagnose computer problem on Hubble space telescope (2021, June 26) retrieved 1 May 2024 from <u>https://phys.org/news/2021-06-nasa-additional-problem-hubble-space.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.