


Squeeze the shock out: What different phases of piezoelectric materials tell us


June 29 2021

The Many Phases of Crystal: What Makes BiFeO₃ Piezoelectric?


Epitaxial (grown on a crystal substrate) BiFeO₃ (BFO) thin films show mixed crystalline phases




Striped-domain patterns → Piezoelectric (electric field-induced strain) response



A polymorphic S-phase is considered responsible for high piezoelectric strain




intermediate S-phase ? piezoelectric strain But, the correlation between them is unclear



Tracking the structural phase transition in real time is integral

Can the time dynamics of phase evolution be studied experimentally?

Tracking phase transition in real time with X-ray microdiffraction




Material studied: Lanthanum-doped BFO (BLFO) thin films

Electric field pulses of 5 μs applied

μs-scale X-ray diffraction analysis with X-ray pulses


Properties analyzed

- Transition dynamics of constituent phases (MC, MC tilt, S, and S tilt)
- Piezoelectric strain
- S and S tilt phases show the **highest** strain
- Strain saturation for MC, MC, tilt, and S phases
- No** saturation for S tilt-phase – crucial for high piezoelectric strain



BLFO thin films crystallized in S/S tilt-phases demonstrate high piezoelectric strain, opening doors to nanoscale electromechanical devices

The role of intermediate S-polymorph towards high piezoelectricity in La-doped BiFeO₃ epitaxial thin films
 Lee *et al.* (2021)
 Acta Materialia | 10.1016/j.actamat.2021.116683



Gwangju Institute of Science and Technology


Researchers from the Gwangju Institute of Science and Technology in Korea have investigated the transformation dynamics induced by an electric field in mixed-phase lanthanum-doped bismuth ferrite (BLFO) epitaxial thin films. Credit: Gwangju Institute of Science and Technology

What if electricity could be squeezed out of something? It turns out some materials have this property. Piezoelectricity is the electric charge that accumulates in certain solids when mechanical stress is applied on

them. Piezoelectric materials, like bismuth ferrite thin films, when grown on a single lanthanum aluminate substrate, give rise to highly strained epitaxial thin films that exhibit excellent electromechanical and ferroelectric properties. In bismuth ferrite thin films "doped" or polluted with lanthanum (BLFOs), piezoelectricity is attributed to the presence of "mixed-phase structures" with stripe patterns.

The formation of stripe patterns and controlling the mixed-phase structures of BLFO have been the focus of many studies over the years. But due to the ultrafast nature of phase transitions, the formation of energetically "favorable" phases under applied electric field and the origin of large electrochemical response has not been sufficiently explored. Many scientists engaged in research on BLFO are currently plagued by the question, what does the presence of an S-polymorph, an intermediate phase, do to the properties of the material?

Researchers at the Gwangju Institute of Science and Technology led by Prof. Ji Young Jo embarked on a journey to investigate the phase transformation dynamics of BLFO epitaxial thin [films](#) with the help of time-resolved X-ray microdiffraction. "We chose this technique because it helps us understand the electric field-induced phase transformation dynamics of the [piezoelectric materials](#) in a time scale ranging from picoseconds to microseconds," explains Prof. Jo. The results of their exploration of the piezoelectric properties of BLFO films along with the identification of the mixed-phase structures and striped patterns were published in volume 7 (issue 116683) of *Acta Materialia* on 1 April 2021 and was made available online on 21 Jan 2021.



Mixed-phase epitaxial BLFO thin film represents significant electric field-induced phase transformation dynamics, report scientists from the Gwangju Institute of Science and Technology. Credit: Ji Young Jo from the Gwangju Institute of Science and Technology

BLFO can be converted into monoclinic (M_A , M_C , tilted M_C), tetragonal (T-phase), an intermediate S-phase, or mixed phases via strain engineering. The investigation into the transformation dynamics revealed that the phase change from M_C to S-phase were dependent on the polarity of the [electric field](#) applied. The study also concluded that the high piezoelectric response seen in mixed-phase BLFO films is due to the presence of S/ S_{tilt} phases.

"Understanding the role of [stripe patterns](#) and the S-phases can help us create ultrafast piezoelectric devices with a response time of sub-microseconds," concludes Prof. Jo. The findings from this study provide a new perspective on the use of strain engineering to design ultra-high

piezoelectric [thin films](#). This has far-reaching implications for the future of energy harvesting.

More information: Jun Young Lee et al, The role of intermediate S-polymorph towards high piezoelectricity in La-doped BiFeO₃ epitaxial thin films, *Acta Materialia* (2021). [DOI: 10.1016/j.actamat.2021.116683](https://doi.org/10.1016/j.actamat.2021.116683)

Provided by GIST (Gwangju Institute of Science and Technology)

Citation: Squeeze the shock out: What different phases of piezoelectric materials tell us (2021, June 29) retrieved 3 May 2024 from <https://phys.org/news/2021-06-phases-piezoelectric-materials.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.