

Scientists develop low-cost sensor that can detect COVID-19 in wastewater

June 10 2021



Credit: CC0 Public Domain

Scientists from the University of Strathclyde and the Indian Institute of Technology (IIT) Bombay have demonstrated a low-cost sensor that can detect fragments of the virus responsible for COVID-19 within



wastewater.

The technique, published in the journal *Sensors and Actuators B: Chemical*, could be used to enable widespread monitoring of COVID-19 prevalence in low- and middle-income countries which struggle to conduct mass human testing.

The sensor can be used with portable equipment that uses the standard Polymerase Chain Reaction (PCR) <u>test</u> to detect the SARS-CoV-2 virus, without the need for the expensive chemicals and lab infrastructure needed for real-time quantitative PCR tests.

The sensor was tested with <u>wastewater</u> collected from a <u>sewage</u> <u>treatment plant</u> in Mumbai spiked with SARS-Cov-2 Ribonucleic Acid (RNA).

Better understanding

Dr. Andy Ward, Chancellor's Fellow in the Department of Civil & Environmental Engineering, said: "Many low- to <u>middle-income</u> <u>countries</u> face a challenge in tracking COVID-19 in people because of limited access to the necessary facilities for mass testing. Looking for traces of the virus within wastewater would enable public health officials to get a better understanding of how prevalent the disease is in a larger area.

"Testing of wastewater for the presence of SARS-CoV-2 nucleic acid is already widely recognised as a tool to identify areas where the case numbers are likely to be increasing and therefore allow more targeted action to be taken to limit viral spread in specific regions. However, the current gold-standard method of real-time PCR testing (qPCR) requires expensive laboratory equipment and skilled scientists to complete. Furthermore, if resources are limited, testing of human samples would



most likely take precedence over wastewater epidemiology surveillance. Therefore, lower cost, alternative approaches are required in order to support wastewater surveillance."

Long shelf life

The biosensor uses printed circuit board electrodes to detect fragments of SARS-CoV-2 nucleic acid which have combined with <u>methylene blue</u> —a readily-available salt used as a medication and dye—which is added to the sample to produce a measurable electrochemical signal.

They found that the sensor was able to detect the genetic material at concentrations as low as 10 picograms per microlitre ($pg/\mu l$). The electrodes are reusable, easy to clean, do not undergo any changes that affect its capabilities and have a long shelf-life.

Dr. Siddharth Tallur, associate professor in the Department of Electrical Engineering at IIT Bombay, said: "The method we have developed is not just applicable to SARS-CoV-2, it could be applied to any other virus so it's very versatile.

"In the future, we'll focus on optimising the assay further to increase accuracy and also integrate the assay with a portable platform to handle both PCR reaction and electrochemical measurement."

More information: M.S. Kumar et al, Electrochemical sensing of SARS-CoV-2 amplicons with PCB electrodes, *Sensors and Actuators B: Chemical* (2021). DOI: 10.1016/j.snb.2021.130169

Provided by University of Strathclyde, Glasgow



Citation: Scientists develop low-cost sensor that can detect COVID-19 in wastewater (2021, June 10) retrieved 2 May 2024 from <u>https://phys.org/news/2021-06-scientists-low-cost-sensor-covid-wastewater.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.