

Self-assembly of stimuli-responsive coiled-coil fibrous hydrogels

June 22 2021



Credit: CC0 Public Domain

Jin Kim Montclare, professor of chemical and biomolecular engineering, with affiliations at NYU Langone Health and NYU College of Dentistry, directed this research with first author Michael Meleties, fellow Ph.D.

student Dustin Britton, postdoctoral associate Priya Katyal, and undergraduate research assistant Bonnie Lin.

Owing to their tunable properties, hydrogels comprising stimuli-sensitive polymers are among the most appealing molecular scaffolds because their versatility allows for applications in [tissue engineering](#), drug delivery and other biomedical fields.

Peptides and proteins are increasingly popular as building blocks because they can be stimulated to self-assemble into nanostructures such as nanoparticles or nanofibers, which enables gelation—the formation of supramolecular hydrogels that can trap water and small molecules. Engineers, to generate such smart biomaterials, are developing systems that can respond to a multitude of stimuli including heat. Although thermosensitive hydrogels are among widely studied and well-understood class of [protein](#) biomaterials, substantial progress is also reportedly being made in incorporating stimuli-responsiveness including pH, light, ionic strength, redox, as well as the addition of small molecules.

The NYU Tandon researchers, who previously reported a responsive hydrogel formed using a coiled-coil protein, Q, expanded their studies to identify the gelation of Q protein at distinct temperatures and pH conditions.

Using [transmission electron microscopy](#), rheology and structural analyses, they observed that Q self-assembles and forms fiber-based hydrogels exhibiting upper critical solution temperature (UCST) behavior with increased elastic properties at pH 7.4 and pH 10. At pH 6, however, Q forms polydisperse nanoparticles, which do not further self-assemble and undergo gelation. The high net [positive charge](#) of Q at pH 6 creates significant electrostatic repulsion, preventing its gelation. This study will potentially guide the development of novel scaffolds and functional biomaterials that are sensitive towards biologically relevant

stimuli

Montclare explained that upper critical solution temperature (UCST) phase behavior is characterized by a solution that will form a hydrogel when it is cooled below a critical temperature.

"In our case, it is due to the physical crosslinking/entanglement of fibers that our fiber-based hydrogel forms when cooled," she said, adding that when the temperature is raised above the critical [temperature](#), the [hydrogel](#) transitions back into solution and most of the fibers should disentangle.

"In our study, we looked at how this process is affected by pH. We believe that the high net charge of the protein at pH 6 creates electrostatic repulsions that prevent the protein from assembling into fibers and further into hydrogels, while at higher pH where there would be less electrostatic repulsion, the protein is able to assemble into fibers that can then undergo gelation."

More information: Michael Meleties et al, Self-assembly of stimuli-responsive coiled-coil fibrous hydrogels, *Soft Matter* (2021). [DOI: 10.1039/D1SM00780G](https://doi.org/10.1039/D1SM00780G)

Provided by NYU Tandon School of Engineering

Citation: Self-assembly of stimuli-responsive coiled-coil fibrous hydrogels (2021, June 22) retrieved 27 April 2024 from <https://phys.org/news/2021-06-self-assembly-stimuli-responsive-coiled-coil-fibrous-hydrogels.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.