

A speedy trial: What it takes to be the fastest land predator

June 2 2021



(Left) Flight types involved in cheetah galloping. (Right) A simple model for analyzing galloping motion. Credit: Nagoya Institute of Technology

What makes cheetah the fastest land mammal? Why aren't other animals, such as horses, as fast? While we haven't yet figured out why, we have some idea about how—cheetahs, as it turns out, make use of a galloping gait at their fastest speeds, involving two different types of 'flight': one with the forelimbs and hind limbs beneath their body



following a forelimb liftoff, called gathered flight, while another with the forelimbs and hind limbs stretched out after a hind limb liftoff, called extended flight. Of these, the extended flight is what enables cheetahs to accelerate to high speeds, and it depends on ground reaction forces satisfying specific conditions; in the case of horses, the extended flight is absent.

Additionally, cheetahs show appreciable spine movement during <u>flight</u>, alternating between flexing and stretching in gathered and extended modes, respectively, which contributes to its high-speed locomotion. However, little is understood about the dynamics governing these abilities.

"All animal running constitutes a flight phase and a stance phase, with different dynamics governing each phase," explains Dr. Tomoya Kamimura from Nagoya Institute of Technology, Japan, who specializes in intelligent mechanics and locomotion. During the flight phase, all feet are in the air and the center of mass (COM) of the whole body exhibits ballistic motion. Conversely, during the stance phase, the body receives ground reaction forces through the feet. "Due to such complex and hybrid dynamics, observations can only get us so far in unraveling the mechanisms underlying the running dynamics of animals," Dr. Kamimura says.

Consequently, researchers have turned to computer modeling to gain a better dynamic perspective of the animal gait and spine movement during running and have had remarkable success using fairly simple models. However, few studies so far have explored the types of flight and spine motion during galloping (as seen in a cheetah). Against this backdrop, Dr. Kamimura and his colleagues from Japan have now addressed this issue in a recent study published in *Scientific Reports*, using a simple model emulating vertical and spine movement.





(Top) Impulse positions in a cheetah's body (Below). Criterion for flight types against measured cheetah data. Credit: Nagoya Institute of Technology

The team, in their study, employed a two-dimensional model comprising two rigid bodies and two massless bars (representing the cheetah's legs), with the bodies connected by a joint to replicate the bending motion of the spine and a torsional spring. Additionally, they assumed an anteriorposterior symmetry, assigning identical dynamical roles to the fore and hind legs.

By solving the simplified equations of motion governing this model, the



team obtained six possible periodic solutions, with two of them resembling two different flight types (like cheetah galloping) and four, only one flight type (unlike cheetah galloping), based on the criteria related to the ground reaction forces provided by the solutions themselves. Researchers then verified these criteria with measured cheetah data, revealing that cheetah galloping in the real world indeed satisfied the criterion for two flight types through spine bending (see Figure 2).

Additionally, the periodic solutions also revealed that horse galloping only involves gathered flight due to restricted spine motion, suggesting that the additional extended flight in cheetahs combined with <u>spine</u> bending allowed them to achieve such great speeds!

"While the mechanism underlying this difference in flight types between animal species still remains unclear, our findings extend the understanding of the dynamic mechanisms underlying high-speed locomotion in cheetahs. Furthermore, they can be applied to the mechanical and control design of legged robots in the future," speculates an optimistic Dr. Kamimura.

Cheetahs inspiring legged robots-who would've thought?

More information: Tomoya Kamimura et al, Dynamical determinants enabling two different types of flight in cheetah gallop to enhance speed through spine movement, *Scientific Reports* (2021). <u>DOI:</u> <u>10.1038/s41598-021-88879-0</u>

Provided by Nagoya Institute of Technology

Citation: A speedy trial: What it takes to be the fastest land predator (2021, June 2) retrieved 3



May 2024 from https://phys.org/news/2021-06-speedy-trial-fastest-predator.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.