

Inducing and tuning spin interactions in layered material by inserting iron atoms, protons

June 16 2021



Crystal structure, showing iron atoms (red) in tantalum-sulfide structure. Credit: FLEET

Magnetic-spin interactions that allow spin-manipulation by electrical control allow potential applications in energy-efficient spintronic devices.



An antisymmetric exchange known as Dzyaloshinskii-Moriya interactions (DMI) is vital to form various chiral spin textures, such as skyrmions, and permits their potential application in energy-efficient spintronic devices.

Published this week, a Chinese-Australia collaboration has for the first time illustrated that DMI can be induced in a layered material tantalum-sulfide (TaS_2) by intercalating iron atoms, and can further be tuned by gate-induced proton intercalation.

Searching for layered materials that harbor chiral spin textures, such as skyrmions, chiral domain Walls is vital for further low-energy nanodevices, as those chiral spin textures are <u>building blocks</u> for topological spintronic devices and can be driven by ultra-low current density.

Generally, chiral spin textures are stabilized by DMI. Therefore, introducing and controlling DMI in materials is key in searching and manipulating the chiral spin textures.

"Tantalum-sulfide is one of the large family of transition metal dichalcogenide (TMDCs) investigated by FLEET for low-energy applications," says the study's first author, FLEET Research Fellow Dr. Guolin Zheng (RMIT).





Hall-bar device on solid proton conductor, used to measure Hall resistivity under different conditions. Credit: FLEET

The team firstly successfully realized a sizable DMI in the layered material tantalum-sulfide (TaS_2) by intercalating Fe atoms.

However, electrically controlling the DMI turns out to be challenging:

"Both conventional electric-field gating, and the widely-used alternative technique of ion-liquid (Li^+) gating have hit stumbling blocks in the electrical control of DMI in itinerant ferromagnets, because the electric-field and Li^+ can only modulate the carriers close to the surface," explains Guolin.

To address this limitation in tuning the DMI, the group at RMIT recently developed a new protonic gate technique, and successfully illustrated that DMI can be dramatically controlled by gate-induced proton intercalations.

By increasing the intercalation of protons by gate voltage, the team were



able to significantly change the carrier density and further tune the DMI via the Ruderman-Kittel-Kasuya-Yosida (RKKY) mechanism, which refers to the coupling of nuclear magnetic moments.



Credit: FLEET

"The observed topological Hall resistivity after proton intercalation has been increased more than four-fold under a few volts, indicating a huge increase of DMI," says co-author A/Prof Lan Wang (also at RMIT).

"The successful tuning of DMI in chiral magnet Fe-intercalated TaS_2 by protonic gate enables an electrical control of the chiral spin textures as well as the potential applications in energy-efficient spintronic devices," says co-author Prof Mingliang Tian, who is a FLEET Partner Investigator and Director of the Center's partner organization the High



Magnetic Field Laboratory (Anhui Province, China).

"Tailoring Dzyaloshinskii-Moriya interaction in a transition metal dichalcogenide by dual-intercalation" was published in *Nature Communications* in June 2021.

More information: Guolin Zheng et al, Tailoring Dzyaloshinskii–Moriya interaction in a transition metal dichalcogenide by dual-intercalation, *Nature Communications* (2021). <u>DOI:</u> <u>10.1038/s41467-021-23658-z</u>

Provided by FLEET

Citation: Inducing and tuning spin interactions in layered material by inserting iron atoms, protons (2021, June 16) retrieved 12 May 2024 from <u>https://phys.org/news/2021-06-tuning-interactions-layered-material-inserting.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.