


# Ever wondered who'd win in a fight between a scorpion and tarantula? A venom scientist explains

June 30 2021, by Samantha Nixon

---



Credit: The Conversation, CC BY-ND

Scorpions and tarantulas are two ancient arachnids that have been walking the Earth for [hundreds of millions of years](#)—even before the time of the dinosaurs.

And the question of which would win in a fight has been the subject of numerous [YouTube videos](#), [online forums](#) and even research papers.

Well, with more than 900 species of tarantulas and 2,500 species of scorpions found worldwide, the winner depends on who's facing off in the ring. The question comes down to three things: size, speed, and venom.

## Choose your fighter

In the wild, scorpions and tarantulas rarely cross paths, but they will battle to protect their territory or themselves as sometimes they try to eat each other.

At first glance, the fight seems evenly matched. Scorpions and tarantulas are typically ambush predators that "sit and wait" for their prey. Both are highly armed.

On Team Scorpion, we have tough armour in the form of a hardened exoskeleton made of [overlapping layers of chitin](#), a protein that's similar to the keratin in our nails.

Scorpions also have [grasping pincers](#) to catch and tear prey, which they could use to grab onto the [tarantula](#). One of the world's largest scorpions, the giant forest scorpion (*Heterometrus swammerdami*), can grow up to 22 centimetres long, and could use its powerful pincers to crush a tarantula.

Luckily, in a pinch, a tarantula could drop its leg to get away, and regrow the leg as it [continues moulting](#).

Spiders on Team Tarantula also have the advantage of size. The [goliath birdeater](#) (*Theraphosa blondi*) in South America, for example, has an impressive body length of 12 centimetres, with legs spanning nearly 30 centimetres (the size of an A4 page).

What spiders lack in pincers, they make up for with [metal-tipped](#) fangs, enabling them to easily punch through chitin and inflict painful puncture wounds.

Many tarantula species have another special defence called [urticating hairs](#), which are barbed bristles flung from the abdomen against potential attackers. These hairs can severely irritate soft mammalian [skin](#) and eyes; however, they would be ineffective against the scorpion's tough exoskeleton.



Credit: Sharath G. from Pexels

**Superweapon: venoms**

Scorpions and tarantulas have a superweapon in their arsenal: venom. Scorpions inject venom via the stinger in their tail, while tarantulas inject via their fangs.

Both [spider](#) and [scorpion](#) venoms are complex cocktails of thousands of different molecules that mainly target the nervous system. They've been fine-tuned by hundreds of millions of years of evolution to be fast-acting, potent and selective, allowing them to catch their prey ([usually insects](#)) and defend themselves from predators (such as mice and birds).

Although spiders have the more fearsome reputation, it's actually scorpion venoms you should be worried about. There are estimated to be over one million scorpion envenomations each year, resulting in more than [3,000 fatalities](#) worldwide.

As a general rule of thumb, the [smaller the scorpion pincers](#), the more potent the venom. For example, deathstalker scorpions (genus: *Leiurus*) have slender pincers, but [their potent venom](#) is filled with neurotoxins that overexcite the [nervous system](#), leading to myocardial injury, pulmonary oedema, and [cardiogenic shock](#). In other words, your heart cannot pump enough blood to key organs like the brain and kidneys.

Meanwhile, tarantula venoms are generally [not considered dangerous to humans](#), with [no recorded fatalities to date](#).

One group of tarantulas you should watch out for are the ornamental tarantulas (genus: *Poecilotheria*), found in Southeast Asia. These tree-dwelling tarantulas are brilliantly coloured, move with lightning speed, and inject large volumes of very [potent venom](#), causing extreme pain and [muscle cramps](#) that can last for weeks.

## Size and speed

Venoms are typically fast-acting, so whoever is fast enough to get the first strike in the battle has a big advantage.

Using high speed video, scientists found a species of deathstalker scorpion (*Leiurus quinquestriatus*) can whip its tail at [128 centimetres per second](#) in a defensive strike.

Another study found Texas brown tarantulas (*Aphonopelma hentzi*) can [sprint at similar speeds](#).



Credit: Sharath G. from Pexels

While venoms have evolved as powerful chemical defences to help level

the playing field for these arachnids, there's no doubt size plays an important role in this battle, too. The bigger the animal, the larger the dose of venom required to affect it.

Several studies have recorded scorpions [hunting smaller spiders](#). In Western Australia, the spiral burrow scorpion (*Isometroides vescus*) specialises in [hunting burrow-dwelling spiders](#), such as trapdoor spiders and wolf spiders.

When the spiders get bigger, however, the tables turn. Some [tarantulas](#) are known predators of scorpions.

One study noted that in Yucatán Peninsula villages with high densities of tarantulas, [scorpions were conspicuously absent](#). When the researchers brought the local Mexican red rump tarantula (*Tliltocatl vagans*) and bark scorpions (*Centruroides* species) into the laboratory, they found the tarantula successfully predated the scorpion every time, regardless of who attacked first.

Similarly in the US, researchers have recorded [Arizona blonde tarantulas](#) (*Aphonopelma chalcodes*) hunting and eating scorpions. However, lab studies with these species showed if the scorpion got the first sting in, the [tarantula would retreat](#).

## **Overcoming scorpion venom**

Both Arizona blonde and Mexican red rump tarantulas are considered harmless to humans, but bark scorpions have a potent, [potentially lethal](#) venom.

So how do these tarantulas overcome the lethal bark scorpions' sting?

Predators and prey are always in an evolutionary arms race, trying to

develop strategies to overcome each other's weapons to survive. For example, one bark scorpion predator, the grasshopper mouse, has evolved very [slight mutations in its nervous system](#) that make the scorpion toxins much less effective, thereby protecting the mouse.

Another study showed some scorpion venom toxins [were active on tarantula nerves](#), but less so than on insect and mammalian nerves. This means that tarantulas may also have evolved mutations to help protect them from scorpion venom, perhaps even natural means of detoxifying the [scorpion](#) venom in some [tarantula species' haemolymph](#) (the spider equivalent of blood).

Overall, the battle of the arachnids depends on the size, speed and [venom](#) of the contenders—but my money is on the tarantula.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Ever wondered who'd win in a fight between a scorpion and tarantula? A venom scientist explains (2021, June 30) retrieved 11 July 2024 from <https://phys.org/news/2021-06-whod-scorpion-tarantula-venom-scientist.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.