


Simulating microswimmers in nematic fluids

July 13 2021



Credit: CC0 Public Domain

Artificial microswimmers have received much attention in recent years. By mimicking microbes which convert their surrounding energy into swimming motions, these particles could soon be exploited for many important applications. Yet before this can happen, researchers must develop methods to better control the trajectories of individual microswimmers in complex environments. In a new study published in *EPJ E*, Shubhadeep Mandal at the Indian Institute of Technology

Guwahati (India), and Marco Mazza at the Max Planck Institute for Dynamics and Self-Organisation in Göttingen (Germany) and Loughborough University (UK), show how this control could be achieved using exotic materials named 'nematic liquid crystals' (LCs)—whose viscosity and elasticity can vary depending on the direction of an applied force.

The duo's discoveries could inform the future use of cargo-carrying microswimmers in delicate medical procedures: including [drug delivery](#), disease monitoring, and non-invasive surgery. Through the use of biocompatible nematic LCs, these techniques could be easily and safely integrated with the bodies of patients. Typically, microswimmers propel themselves forward by either pushing or pulling the fluid surrounding them. So far, these motions haven't been widely studied in less conventional fluids like nematic LCs—which have orderly crystal structures, but can also flow like liquids.

Mandal and Mazza studied this scenario using 'multiparticle collision dynamics' algorithms, which describe how the atomic structures of nematic LCs vary over time. Combined with simulations of spherical microswimmers, the algorithms allowed them to investigate how the direction-dependent viscosities and elasticities of nematic LCs can affect the speeds and orientations of spherical microswimmers. Previous studies showed that their motions are starkly different to those found in conventional fluids; with microswimmers following non-random trajectories to minimize their elastic energy. Mandal and Mazza now also show that a [microswimmer](#)'s speed will vary depending on whether it pushes or pulls the surrounding [fluid](#); and also becomes slower when it pushes with a stronger force. The duo now hope that their simulation techniques could be easily extended to model the dynamics of multiple microswimmers.

More information: Shubhadeep Mandal et al, Multiparticle collision

dynamics simulations of a squirmer in a nematic fluid, *The European Physical Journal E* (2021). [DOI: 10.1140/epje/s10189-021-00072-3](https://doi.org/10.1140/epje/s10189-021-00072-3)

Provided by Springer

Citation: Simulating microswimmers in nematic fluids (2021, July 13) retrieved 6 May 2024 from <https://phys.org/news/2021-07-simulating-microswimmers-nematic-fluids.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.