

# Tree rings show record of newly identified extreme solar activity event

July 13 2021, by Morgan Rehnberg

---



This picture shows the growth rings of an unknown tree species at Bristol Zoo in the United Kingdom. Tree rings record environmental conditions in the year they form. Through isotopic analysis of carbon, these records can also shine light on space weather. Credit: [Arpingstone/Wikimedia](#), Public Domain

The sun constantly emits a stream of energetic particles, some of which reach Earth. The density and energy of this stream form the basis of space weather, which can interfere with the operation of satellites and other spacecraft. A key unresolved question in the field is the frequency with which the sun emits bursts of energetic particles strong enough to disable or destroy space-based electronics.

One promising avenue for determining the rate of such events is the dendrochronological record. This approach relies on the process by which a solar energetic particle (SEP) strikes the atmosphere, causing a [chain reaction](#) that results in the production of an atom of carbon-14. This atom subsequently can be incorporated into the structure of a tree; thus, the concentration of carbon-14 atoms in a tree ring can indicate the impact rate of SEPs in a given year.

To date, three events of extreme SEP production are well described in literature, occurring approximately in the years 660 BCE, 774–775 CE, and 992–993 CE. Each event was roughly an order of magnitude stronger than any measured in the space exploration era. Miyake et al. describe such an event, which occurred between 5411 BCE and 5410 BCE. Because of this burst, atmospheric carbon-14 increased 0.6 percent year over year in the Northern Hemisphere and was sustained for several years before dropping to typical levels.

The authors deduced the presence of this event by using samples collected from [trees](#) in three widely dispersed locales: a bristlecone pine in California, a Scotch pine in Finland, and a European larch in Switzerland. Each sample had its individual tree rings separated, and material from each ring underwent accelerator mass spectrometry to determine its carbon-14 content.

Using [statistical methods](#), the researchers identified a pattern of small carbon-14 fluctuations consistent with the sun's 11-year [solar cycle](#); the

event recorded in the tree ring occurred during a time of solar maximum. Notably, other evidence suggests that the sun was also undergoing a decades-long period of increasing activity.

If an extreme SEP burst is indeed the cause of the additional carbon-14, then these observations could aid in forecasting future events. However, [tree ring](#) measurements cannot rule out other extraterrestrial causes, such as a nearby supernova explosion. Confirmation will require isotopic measurements of beryllium and chlorine taken from ice cores, according to the authors.

**More information:** F. Miyake et al, A Single-Year Cosmic Ray Event at 5410 BCE Registered in 14 C of Tree Rings, *Geophysical Research Letters* (2021). [DOI: 10.1029/2021GL093419](https://doi.org/10.1029/2021GL093419)

*This story is republished courtesy of Eos, hosted by the American Geophysical Union. Read the original story [here](#).*

Provided by American Geophysical Union

Citation: Tree rings show record of newly identified extreme solar activity event (2021, July 13) retrieved 23 June 2024 from <https://phys.org/news/2021-07-tree-newly-extreme-solar-event.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------