


An undersea volcano discovered near Christmas Island looks like the Eye of Sauron

July 22 2021, by Tim O'hara



Credit: Phil Vandenbossche & Nelson Kuna/CSIRO, Author provided


Looking like the [Eye of Sauron](#) from the Lord of the Rings Trilogy, an ancient undersea volcano was slowly revealed by multibeam sonar 3,100 meters below our vessel, 280 kilometers southeast of Christmas Island. This was on day 12 of our [voyage of exploration](#) to Australia's Indian Ocean Territories, aboard CSIRO's dedicated ocean research vessel, the [RV Investigator](#).

Previously unknown and unimagined, this volcano emerged from our screens as a giant oval-shaped depression called a caldera, 6.2km by 4.8km across. It is surrounded by a 300m-high rim (resembling Sauron's eyelids), and has a 300 m high cone-shaped peak at its the center (the "pupil").

A caldera is formed when a volcano collapses. The molten magma at the base of the volcano shifts upwards, leaving empty chambers. The thin solid crust on the surface of the dome then collapses, creating a large crater-like structure. Often, a small new peak then begins to form in the center as the volcano continues spewing magma.

One well-known caldera is the one at [Krakatoa](#) in Indonesia, which exploded in 1883, killing tens of thousands of people and leaving only bits of the mountain rim visible above the waves. By 1927, a small volcano, Anak Krakatoa ("child of Krakatoa"), had grown in its center.

In contrast, we may not even be aware of [volcanic eruptions](#) when they happen deep under the ocean. One of the few tell-tale signs is the presence of [rafts of light pumice stone](#) floating on the [sea surface](#) after being blown out of a submarine [volcano](#). Eventually, this pumice stone becomes waterlogged and sinks to the ocean floor.




Sonar image of the 'Eye of Sauron' volcano and nearby seamounts on the sea bed south-west of Christmas Island. Credit: Phil Vandebossche & Nelson Kuna/CSIRO, Author provided

Our volcanic "eye" was not alone. Further mapping to the south revealed a smaller sea mountain covered in numerous volcanic cones, and further still to the south was a larger, flat-topped seamount. Following our Lord of the Rings theme, we have nicknamed them [Barad-dûr](#) ("Dark Fortress") and [Ered Lithui](#) ("Ash Mountains"), respectively.

Although author J.R.R. Tolkein's knowledge of mountain geology [wasn't perfect](#), our names are wonderfully appropriate given the jagged nature of the first and the pumice-covered surface of the second.

The Eye of Sauron, Barad-dûr, and Ered Lithui are part of the Karma cluster of seamounts that have been previously estimated by [geologists](#) to be more than 100 million years old, and which formed next to an ancient sea ridge from a time when Australia was situated much further south, near Antarctica. The flat summit of Ered Lithui was formed by wave

erosion when the seamount protruded above the sea surface, before the heavy seamount slowly sank back down into the soft ocean seafloor. The summit of Ered Lithui is now 2.6km below sea level.



The voyage of the RV Investigator around Christmas Island. Credit: Tim O'Hara/Museums Victoria

But here is the geological conundrum. Our caldera looks surprisingly fresh for a structure that should be more than 100 million years old. Ered Lithui has almost 100m of sand and mud layers draped over its summit, formed by sinking dead organisms over millions of years. This sedimentation rate would have partially smothered the caldera. Instead it is possible that volcanoes have continued to sprout or new ones formed long after the original foundation. Our restless Earth is never still.

But life adapts to these geological changes, and Ered Lithui is now covered in seafloor animals. Brittle-stars, sea-stars, crabs and worms burrow into or skate over the sandy surface. Erect black corals, fan-corals, sea-whips, sponges and barnacles grow on exposed rocks. Gelatinous cusk-eels prowl around rock gullies and boulders. Batfish lie in wait for unsuspecting prey.

Our mission is to map the seafloor and survey sea life from these ancient and secluded seascapes. The Australian government recently announced plans to create two massive marine parks across the regions. Our expedition will supply scientific data that will help Parks Australia to manage these areas into the future.



Small batfish patrol the seamount summits. Credit: Rob French/Museums Victoria, Author provided

Scientists from museums, universities, CSIRO and Bush Blitz around Australia are participating in the voyage. We are close to completing part one of our journey to the Christmas Island region. Part two of our journey to the Cocos (Keeling) Island region will be scheduled in the next year or so.

No doubt many animals that we find here will be new to science and our first records of their existence will be from this region. We expect many more surprising discoveries.

This article is republished from [The Conversation](#) under a Creative

Commons license. Read the [original article](#).

Provided by The Conversation

Citation: An undersea volcano discovered near Christmas Island looks like the Eye of Sauron (2021, July 22) retrieved 20 April 2024 from <https://phys.org/news/2021-07-undersea-volcano-christmas-island-eye.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.