

# Both early experiences and gene expression influence impulsivity in chicks

August 18 2021

---



Junglefowl chick showing impulsive behaviour. Credit: Sam Hurenkamp

Differences in impulsivity between individuals are linked to both experience and gene expression, according to a study on the ancestor of domestic chickens, the red junglefowl. The study from Linköping

University, Sweden, has been published in the journal *Animal Behaviour*.

More [impulsive individuals](#) are more likely to respond rapidly to situations without planning or considering the consequences. In many species, including humans, impulsivity differs between individuals, but we do not yet understand why this is, as research into what lies behind these differences is limited.

"Variation in impulsivity is especially puzzling, because individuals with high impulsivity can suffer negative consequences, such as taking risks without considering the outcome. We expect [natural selection](#) over time to favor behavior that benefits the individual, so why do we regularly observe individuals who are considerably more impulsive than others?" asks Hanne Løvlie, associate professor in the Department of Physics, Chemistry and Biology at Linköping University, who led the study.

The LiU researchers looked in more detail at how impulsivity could be influenced by underlying factors. They studied the red junglefowl (*Gallus gallus*), the ancestor of our domestic chickens and a frequently used species for studies on behavioral differences and cognition, measuring animal "intelligence."

To investigate whether junglefowl chicks differed in impulsivity, the researchers used an already established test in which a reward (a mealworm) is placed inside a transparent tube. The impulsive response is to try to reach the reward directly through the solid, transparent side of the tube, even though this is not possible. To get the mealworm, a chick must instead curb its impulsivity and remember what it has previously learned—that it can reach the reward from the open end of the tube. The researchers counted how many times each chick pecked at the transparent tube trying to get the reward, which is a measure of how impulsive they were. By repeating the experiment several times, the researchers also measured how well each chick learned to reduce its

impulsivity.

The scientists wanted to see how early experiences could influence impulsivity. Before testing how impulsive chicks were, they assigned each [chick](#) at random to one of three treatments. In one treatment, chicks received training which aimed to improve their [cognitive abilities](#), resulting in "cognitively enriched" chicks. Chicks in the second treatment were permitted to interact with the cognitive testing equipment, but were not trained themselves, and were thus "environmentally enriched" (but not cognitively enriched). Chicks in the third treatment did not receive any enrichment while growing up.

The results showed that these differences in early experience did indeed affect impulsivity in the junglefowl chicks, but not in the manner that was expected.

"Intriguingly, cognitively enriched chicks, who had been trained to pass other cognitive tests, were more impulsive than the other chicks. This goes against our initial expectations but is compatible with our finding that environmentally enriched chicks were slower to learn to reduce impulsivity. Thus, all chicks that received enrichment were less able to curb their impulsivity. Our results support discoveries from earlier studies that suggest that enrichment can increase impulsivity, and highlight the potential role of cognitive enrichment," says Laura Garnham, Ph.D. student at LiU and one of the researchers behind the study.

Variation between individuals was also influenced by brain [gene expression](#). The scientists investigated the levels of expression of several genes that are involved in two important brain signaling systems, the serotonin system and the dopamine system, which in other species have been linked to impulsive behavior.

"We found that impulsivity correlated with the expression of one gene linked to the signaling molecule serotonin, and two genes linked to the signaling molecule dopamine. This shows us that not only differences in experience, but also genetic factors can contribute to differences in [impulsivity](#) between individuals," says Sara Ryding, who worked in the study while on an exchange visit from the University of Manchester. Sara is now a Ph.D. student at Deakin University in Melbourne, Australia.

**More information:** Sara Ryding et al, Impulsivity is affected by cognitive enrichment and links to brain gene expression in red junglefowl chicks, *Animal Behaviour* (2021). [DOI: 10.1016/j.anbehav.2021.06.007](#)

Provided by Linköping University

Citation: Both early experiences and gene expression influence impulsivity in chicks (2021, August 18) retrieved 5 May 2024 from <https://phys.org/news/2021-08-early-gene-impulsivity-chicks.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
---